



O.S.T. Oil

Oil System Technology

PRODUKTKATALOG *PRODUCT CATALOGUE*



Made in
Germany



O.S.T. OIL - Höchstleistung zum fairen Preis!

Dank unserer qualifizierten und erfahrenen Mitarbeiter ist es uns gelungen ein Sortiment zu entwickeln, das für wirklich jeden Einsatzbereich das optimale Öl bietet. Dabei sind all unsere Produkte „Made in Germany“ und werden stets unter Einhaltung von anerkannten und regelmäßig überprüften Qualitätsstandards hergestellt.

In unserer werkseigenen Produktkonzeption entwickeln Experten innovative Hochleistungs-schmierstoffe, die optimal auf Ihre Bedürfnisse zugeschnitten sind. Ob Qualität, Technologie oder Leistungsfähigkeit - mit unseren O.S.T. OIL Produkten treffen Sie immer die richtige Wahl.

In unserer Produktübersicht stellen wir Ihnen unser umfangreiches Portfolio vor. Sie benötigen weitere Informationen? Unser Team steht Ihnen jederzeit gern zur Verfügung.

O.S.T. OIL - high-performance at a fair price!

Thanks to our qualified and experienced staff, we have succeeded in developing an assortment that offers the optimum oil for every application. All our products are „Made in Germany“ and are always produced in compliance with recognized and regularly checked quality standards.

In our in-house product conception, experts develop innovative high-performance lubricants that are optimally tailored to your needs. Whether quality, technology or performance - with our O.S.T. OIL products you always make the right choice.

*In our product overview we present you our extensive portfolio.
You need more information? Our team is always at your disposal.*



**Made in
Germany**



2	Produkte mit Formulierungen nach O.E.M.-Anforderungen <i>Products formulated to O.E.M. requirements</i>	
10	PKW Motorenöle <i>Engine oils for passenger cars</i>	
25	LKW Motorenöle <i>Heavy duty engine oils</i>	
35	Gemischter Fuhrpark <i>Mixed fleet</i>	
38	Getriebeöle <i>Transmission fluids</i>	
47	Elektromobilität <i>Electromobility</i>	
49	Industrie- und Hydrauliköle <i>Industrial and hydraulic fluids</i>	
62	Landmaschinen-, 2- und 4-Taktöle <i>Agricultural machinery, 2- and 4-stroke engine oils</i>	
68	Marineöle <i>Marine oils</i>	
71	Weitere Produkte <i>More products</i>	
74	Antifreeze <i>Antifreeze</i>	
77	Fette <i>Greases</i>	
79	Additive <i>Additives</i>	



Produkte mit Formulierungen nach O.E.M.-Anforderungen

Auf den folgenden Seiten finden Sie unsere Motorenöle mit offiziellen Herstellerfreigaben. Diese Öle erfüllen höchste Qualitätsstandards und gewährleisten optimale Leistung, Schutz und Zuverlässigkeit für Ihr Fahrzeug.

Products formulated to O.E.M. requirements

On the following pages, you will find our engine oils with official manufacturer approvals. These oils meet the highest quality standards and ensure optimal performance, protection, and reliability for your vehicle.

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
			
O.S.T. OIL FS Excellence LS 0W-20 0094-000061	API SN ACEA C5 ILSAC GF-5	VOLVO VCC RBS0-2AE 0W-20 - Service Fill	-
O.S.T. OIL DXS Premium 0W-20 0094-000335	API SN Plus (RC) API SP (RC) ILSAC GF-5/GF-6A	dexos1™ Gen3	Chrysler MS-6395 Fiat 9.55535-GSX/-CR1 Ford WSS-M2C947-B1 Ford WSS-M2C962-A GM 6094M
O.S.T. OIL FS Supreme 0W-20 0094-000543	API SP API SN Plus ACEA A1/B1 ACEA C5 ILSAC GF-6	Ford WSS-M2C952-A1 Jaguar Land Rover STJLR.03.5006 MB 229.71	dexosD Ford WSS-M2C962-A1 Opel/Vauxhall OV 0401547 - A20
O.S.T. OIL Premium LL-17 FE 0W-20 0094-000728	ACEA C5 ACEA C6 API SQ (RC) ILSAC GF-7A	MB 229.72	BMW Longlife-14 FE+ BMW Longlife-17 FE+ Chrysler MS-12145 dexosD Fiat 9.55535-GSX Ford WSS-M2C947-A1 Ford WSS-M2C947-B1 Ford WSS-M2C952-A1 Ford WSS-M2C954-A1 Ford WSS-M2C962-A1 Jaguar Land Rover STJLR.03.5006 MB 229.71 Opel/Vauxhall OV 0401547 A-20 Volvo VCC C6SP 0W-20 Volvo VCC RBS0-2AE VWC 53037
O.S.T. OIL LL-17 FE 0W-20 0094-000749	ACEA C5 ACEA C6 API SQ (RC) ILSAC GF-7A	-	BMW Longlife-14 FE+ BMW Longlife-17 FE+ Chrysler MS-12145 dexosD Fiat 9.55535-GSX Ford WSS-M2C947-B1 Ford WSS-M2C952-A1 Ford WSS-M2C954-A1 Ford WSS-M2C962-A1 Jaguar Land Rover STJLR.03.5006 MB 229.71 MB 229.72 Opel/Vauxhall OV 0401547 A-20 Volvo VCC C6SP 0W-20 Volvo VCC RBS0-2AE VWC 53037



Produkte mit Formulierungen nach O.E.M.-Anforderungen

Products formulated to O.E.M. requirements



Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M.-Anforderungen <i>Formulation according to O.E.M. requirements</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL LongLife IV 0W-20 0094-000761	ACEA C5 ACEA A1/B1	VW 508 00/509 00	Ford WSS-M2C956-A1 MB 229.71 MB 229.72 Porsche C20
O.S.T. OIL LL Professional 0W-30 0094-000069	API SN ACEA C3	BMW Longlife-04 MB 229.31 MB 229.51 MB 229.52 Porsche C30 VW 504 00/507 00	-
O.S.T. OIL FS 0W-30 VLV 0094-000327	API SL/CF ACEA A5/B5	VOLVO VCC 95200377	Ford WSS-M2C920-A Renault RN0700/RN0710
O.S.T. OIL FD Excellence 0W-30 0094-000329	ACEA C2	Ford WSS-M2C950-A Jaguar Land Rover STJLR.03.5007 VWC 53035	Fiat 9.55535-GS1/-DS1
O.S.T. OIL Premium LL-12 FE 0W-30 0094-000500	API SP (RC) ACEA C2 ACEA A5/B5 ILSAC GF-6	BMW Longlife-12 FE	Ford WSS-M2C950-A MB 227.61 MB 229.61 VWC 53035
O.S.T. OIL FS Super 0W-30 0094-000713	API SL ACEA A3/B4	Renault RN0700/RN0710	BMW Longlife-01 MB 229.5 Opel GM LL-A-025 Opel GM LL-B-025 VOLVO VCC 95200356 VW 502 00/505 00
O.S.T. OIL FS Excellence 0W-40 0094-000032	API SP API CF ACEA A3/B4	MB 229.5 Porsche A40 Renault RN0710 VW 502 00/505 00	BMW Longlife-01 Fiat 9.55535-M2/-Z2 Ford WSS-M2C937-A MB 226.5 MB 229.3 PSA B71 2296 Renault RN0700
O.S.T. OIL FS Excellence FE 5W-20 0094-000040	API SN/CF ACEA C5 ILSAC GF-5	Ford WSS-M2C948-B Jaguar Land Rover STJLR.03.5004	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C945-B1 Ford WSS-M2C960-A dexos1™: 2015 (gen 2)

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL DXS Premium 5W-20 0094-000643	API SN Plus (RC) API SP (RC) ILSAC GF-5/GF-6A	-	Chrysler MS-6395 dexos1™ Gen3 Ford WSS-M2C945-B1 Ford WSS-M2C960-A
O.S.T. OIL FS Excellence FD 5W-30 0094-000039	API SP ACEA A5/B5	Ford WSS-M2C913-D Renault RN0700	Fiat 9.55535-N1 STJLR 03.5003 VWC 53036
O.S.T. OIL FS Select 5W-30 0094-000041	API SN/CF ACEA A3/B4	MB 229.3 MB 229.5 VW 502 00/505 00	BMW Longlife-01 MB 226.5 Opel GM LL-A-025 Opel GM LL-B-025 Renault RN0700/RN0710
O.S.T. OIL FS Excellence LS Ultra 5W-30 0094-000045	ACEA C1/C2	Jaguar Land Rover STJLR.03.5005	Fiat 9.55535-S1 Ford WSS-M2C934-A/B PSA B71 2290
O.S.T. OIL FS Excellence LS-M 5W-30 0094-000049	API SN/CF ACEA C2/C3	dexos2™ MB 229.31 MB 229.51 MB 229.52 VW 505 00/505 01	BMW Longlife-04 Chrysler MS-11106 Fiat 9.55535-S3 Ford WSS-M2C917-A Opel/Vauxhall OV0401547-D30
O.S.T. OIL FS Dura Fusion 5W-30 0094-000056	ACEA C4	MB 226.51 Renault RN0720	Fiat 9.55535-S4
O.S.T. OIL WIV-Multi LL 5W-30 0094-000074	API SN ACEA C3	BMW Longlife-04 MB 229.51 VW 504 00/507 00	Fiat 9.55535-S3 MB 229.31 Porsche C30
O.S.T. OIL DXS Premium 5W-30 0094-000541	API SN Plus (RC) API SP (RC) ILSAC GF-5/GF-6A	dexos1™ Gen3	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C929-A Ford WSS-M2C946-A/-B1 Ford WSS-M2C961-A GM 6094M Opel/Vauxhall OV0401547-G30 VWC 53034
O.S.T. OIL WIV-Multi Supreme 5W-30 0094-000765	API SP ACEA C3	BMW Longlife-04 MB 229.51 MB 229.52 VW 504 00/507 00	dexos1™ Gen2 dexos2™ MB 229.31 Opel/Vauxhall OV0401547-D30 Opel/Vauxhall OV0401547-G30 Porsche C30



Produkte mit Formulierungen nach O.E.M.-Anforderungen

Products formulated to O.E.M. requirements

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M.-Anforderungen <i>Formulation according to O.E.M. requirements</i>	Empfehlungen <i>Recommendations</i>
 O.S.T. OIL FS 5W-40 0094-000030	API SP/CF ACEA A3/B4	MB 229.3	BMW Longlife-98 Fiat 9.55535-H2/-M2/-N2 Opel GM LL-B-025 PSA B71 2296 Porsche A40 ab Modelljahr 1973 (außer Cayenne V6) Renault RN0700/RN0710 VW 502 00/505 00
 O.S.T. OIL HC Synth. 5W-40 LS UN 0094-000034	API SP/CF ACEA C3	MB 229.31 MB 229.51 Renault RN0700/RN0710	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S2/-GH2 Ford WSS-M2C917-A MB 226.5 MB 229.52 Opel OV0401547 Porsche C40 VW 502 00 VW 505 00/505 01
 O.S.T. OIL FS Elite 5W-40 0094-000042	API SP ACEA A3/B4	MB 229.5	BMW Longlife-01 Chrysler MS-10725 Chrysler MS-12991 Fiat 9.55535-H2/-M2 MB 226.5 MB 229.3 Opel GM LL-B-025 Porsche A40 PSA B71 2296 Renault RN0700/RN0710 VW 502 00/505 00
 O.S.T. OIL FS Excellence HP 10W-40 0094-000432	API SP/CF ACEA A3/B4	MB 229.3	BMW Special Oil Fiat 9.55535-G2/-D2 MB 226.5 MB 229.1 PSA B71 2294 PSA B71 2300 Renault RN0700/RN0710 VW 501 01/502 00/505 00
			
 O.S.T. OIL Ultra Low SAPS HD 5W-30 0094-000110	API CJ-4 ACEA E4/E6/E7/E9	DTFR 15C110 (228.51) DTFR 15C120 (228.52) Mack EO-O Premium Plus MAN M 3677 Renault VI RLD-3 VOLVO VDS-4	Caterpillar ECF-3 Cummins CES 20081 DAF Extended Drain DDC 93K218 Deutz DQC IV-10 LA DTFR 13D110 (235.28) DTFR 15C100 (228.31) Iveco 18-1804 TLS E6 MAN M 3271-1 MAN M 3477 MAN M 3575 MAN M 3691 MTU Typ 3.1 MTU Typ 2.1 Scania LDF-4 Scania Low Ash Voith Retarder B VOLVO CNG
 O.S.T. OIL HD Diesel Supreme 5W-30 0094-000594	API FA-4/SN/SN Plus ACEA F01 JASO DH-2	Mack EOS-5 Renault Trucks RLD-5 Volvo VDS-5	Cummins CES 20087 DTFR 15C130 (228.61) DDC 93K223

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL Low SAPS HD Supreme 5W-30 0094-000595	API CK-4/SN ACEA E6/E7/E8/E9/E11 JASO DH-2	Caterpillar ECF-3 DAF PSQL 2.1E LD Deutz DQC IV-18 LA DTFR 15C110 (228.51) MAN M 3677 MAN M 3775 Mack EOS-4.5 MAN M 3691 Renault VI RLD-3 SCANIA LDF-4 VOLVO VDS-4.5	Cummins CES 20086 DDC 93K222 DEUTZ TTCD-Motoren DTFR 15C100 (228.31) DTFR 15C120 (228.52) Ford WSS-M2C213-A1 Iveco 18-1804 TLS E6 LH-00-ENG LA MAN M 3271-1 MAN M 3477 MAN M 3777 MTU Typ 3.1 Scania Low Ash
O.S.T. OIL Low SAPS HD Excellence 10W-30 0094-000350	API CK-4/SN ACEA E6/E7/E8/E9/E11	DTFR 15C110 (228.51) Mack EOS-4.5 Renault VI RLD-3 VOLVO VDS-4.5	Caterpillar ECF-3 Cummins CES 20081/20086 DAF PSQL 2.1E LD DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA MAN M 3271-1 MAN M 3775 MAN M 3677 MAN M 3477 MTU Typ 3.1 SCANIA Low Ash
O.S.T. OIL HC SHPD Diesel 10W-40 0094-000098	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	Cummins CES 20077/20078 DTFR 15B110 (228.3) Mack EO-N Renault VI RLD-2 VOLVO VDS-3	Allison C-4 Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20076 DAF DDC 93K215 Deutz DQC III-10 DTFR 13D110 (235.28) Mack EO-M Plus MAN M 3275-1 MB 229.1 MTU Typ 2 Voith Retarder B VW 500 00/501 01/505 00
O.S.T. OIL HC PT Diesel 10W-40 0094-000100	API CI-4 ACEA E4/E7 Global DHD-1 JASO DH-1	Cummins CES 20077/20078 DTFR 15B120 (228.5) Mack EO-N MAN M 3277 MTU Typ 3 Renault VI RLD-2 VOLVO VDS-3	Cummins CES 20076 Daewoo-Avia DAF HP-1 DAF HP-2 DDC 93K215 Deutz DQC III-10 IVECO 18-1804 T3 E4 Renault VI RXD SCANIA LDF-2 Tatra TDS 40/16 TEDOM 258-4 Voith Retarder B Zetor
O.S.T. OIL Universal UHPD 10W-40 0094-000103	API CI-4 ACEA E6/E7/E9 JASO DH-2	Deutz DQC IV-18 LA DTFR 15C110 (228.51) Mack EO-N MTU Typ 3.1 Renault VI RLD-2 VOLVO VDS-3	Caterpillar ECF-2 Cummins CES 20076/20077/20078 DAF HP-2 MAN M 3271-1 MAN M 3277 MAN M 3477 Renault VI RXD/RGD SCANIA Low Ash
O.S.T. OIL Low SAPS HD Premium 10W-40 0094-000351	API CK-4/SN ACEA E6/E7/E8/E9/E11 JASO DH-2	Deutz DQC IV-10 LA DTFR 15C110 (228.51) Mack EOS-4.5 Renault VI RLD-3 VOLVO VDS-4.5	Caterpillar ECF-3 Cummins CES 20081/20086 DAF Extended Drain DDC 93K222 DDC 93K218 Deutz DQC IV-18 LA DTFR 15C100 (228.31) IVECO 18-1804 CLASSE TLS E9 MAN M 3271-1 MAN M 34777 MAN M 3775 MB 228.52 MTU Typ 3.1 SCANIA Low Ash Level



Produkte mit Formulierungen nach O.E.M.-Anforderungen

Products formulated to O.E.M. requirements

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
 O.S.T. OIL Ultra LS HD 10W-40 0094-000501	API CJ-4 ACEA E4/E6/E7/E9 JASO DH-2	DTFR 15C110 (228.51) DTFR 15C120 (228.52) Mack EO-O Premium Plus Renault VI RLD-3 VOLVO VDS-4	Caterpillar ECF-3 Cummins CES 20081 DAF DDC 93K218 Deutz DQC IV-10 LA DTFR 13D110 (235.28) DTFR 15C100 (228.31) IVECO 18-1804 TLS E9 IVECO 18-1809 NG2 MAN M 3271-1 MAN M 3477 MAN M 3575 MTU Typ 3.1 SCANIA Low Ash Voith Retarder B VOLVO CNG
 O.S.T. OIL SHPD Diesel 15W-40 0094-000082	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	API CI-4/SL Cummins CES 20076/20077/20078 DTFR 15B110 (228.3) Mack EO-N Renault VI RLD-2 VOLVO VDS-3	Allison C-4 Caterpillar ECF-1a Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20071/20072 DDC 93K215 Deutz DQC III-18 IVECO 18-1804 T2 E7 MAN M 3275-1 MB 228.1 MB 229.1 MTU Typ 2
 O.S.T. OIL LE Diesel Performance 15W-40 0094-000105	API CK-4/SN ACEA E9/E11 Global DHD-1 JASO DH-2	Cummins CES 20081 Mack EO-O Premium Plus Renault VI RLD-3 VOLVO VDS-4	Caterpillar ECF-2 Caterpillar ECF-3 DDC 93K218 Deutz DQC III-10 LA DTFR 15C100 (228.31) Ford WSS-M2C171- F1 John Deere JDQ 78 X MAN M 3575 MTU Typ 2.1
 O.S.T. OIL HD Diesel Premium 15W-40 0094-000538	API CK-4/SN ACEA E7/E9/E11 JASO DH-2	Mack EOS-4.5 Renault VI RLD-3 VOLVO VDS-4.5	Caterpillar ECF-3 Cummins CES 20081/20086 DDC 93K218 DDC 93K222 Deutz DQC III-10 LA DTFR 15C100 (228.31) Ford WSS-M2C171-E/-F1 John Deere JDQ 78 X MAN M 3275 MAN M 3575 MTU Typ 2.1
			
 O.S.T. OIL Mineral Super HD 15W-40 0094-000004	API CG-4 API SL/CF ACEA A3/B3 ACEA E2 MIL-L-2104 E	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 Mack EO-L MAN 271 MAN M 3275-1 MB 229.1 MTU Typ 2 VOLVO VDS VW 501 01/505 00 ZF TE-ML 07C

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M.-Anforderungen <i>Formulation according to O.E.M. requirements</i>	Empfehlungen <i>Recommendations</i>
			
O.S.T. OIL Truck Gear LongLife 75W-80 RED 0094-000218	API GL-4 MIL-L-2105	MAN 341 Typ Z4 ZF TE-ML 16K/01L/02L	DAF Eaton (Extended drain) IVECO 18-1807 MAN 341 Typ E3/VR VOLVO 97305 VOLVO 97307 VOLVO 97318
O.S.T. OIL Power Gear Long Drain 80W-90 0094-000686	API GL-4/GL-5 MIL-L-2105 D MIL-PRF-2105 E SAE J2360	VOLVO 97321	DTFR 12B100 (235.0) DTFR 12B130 (235.6) Mack GO-J MAN 341 Typ Z2 MAN 342 Typ M1/M2 SCANIA STO 1:0 VOLVO STD 1273.10 ZF TE-ML 05A/07A/08/12E/16B/16C/16D/17B/19B/21A
O.S.T. OIL TDL Ultimate 75W-90 0094-000819	API GL-4/GL-5 API MT-1 MIL-PRF-2105 E SAE J2360	DTFR 12B140 (235.8) MAN 341 GA1 MAN 341 Z2 MAN 342 S1 Scania STO 1:1 G ZF TE-ML 02B/05A/12L/12N/16F/17B/19C/21A (ZF010792)	Arvin Meritor 076-N DAF DFS 93K219.01 IVECO Mack GO-J MAN 342 Typ M3 Renault SCANIA STO 2:0 A FS VOLVO 97312 ZF TE-ML 07A/12B/13
			
O.S.T. OIL UTTO 0094-000116	API GL-4 DIN 51524-3 (HVLP-D)	ZF TE-ML 03E/17E/05F/21F	Allison C-4 Caterpillar TO-2 CNH MAT 3506/3525 CNH 410 B CNH MS 1206 CNH MS 1210 Deutz-Allis AC Power Fluid 821 XL FNHA 2-C-200.00 Ford ESN-M2C 86-B/C Ford ESN-M2C 134-D John Deere J20 C/J21 A Massey Ferguson CMS M1135 Massey Ferguson CMS M1141 Massey Ferguson CMS M1143 Massey Ferguson CMS M1145 Renault 180596 SDFG OT 1891 A VOLVO BM WB 101 (BM Valmet, AWB Achsen) White Farm (AGCO) Q-1802 White Farm (AGCO) Q-182616 ZF TE-ML 06K/06R/06S





Allgemeine PKW-Motorenöle

Auf den folgenden Seiten finden Sie unser komplettes Sortiment an PKW-Motorenölen. Diese Hochleistungsöle gewährleisten zuverlässigen Schutz, optimale Schmierung und maximale Motorleistung - für alle gängigen Fahrzeugtypen und Einsatzbedingungen.

Products formulated to O.E.M. requirements

On the following pages, you will find our complete range of passenger car engine oils. These high-performance oils deliver reliable protection, optimal lubrication, and maximum engine performance - for all common vehicle types and operating conditions.

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
0W-8			
O.S.T. OIL Ultimate FE 0W-8 0094-000894	API SP ILSAC GF-5/GF-6B	-	Honda 08215-99974 Honda 08216-99974 Honda 08232-P99S1LHE Honda Ultra Next/Ultra Green Hybrid Engine Nissan KLANM-01A04 Extra Save X Eco Mitsubishi DiaQueen ECO Plus Mitsubishi MZ102661 Mitsubishi MZ102662 Toyota 08880-11005
0W-16			
O.S.T. OIL Maxi Fuel Economy 0W-16 0094-000048	API SQ ILSAC GF-7B	-	Honda 08215-99974 Honda 08216-99974 Honda 08232-P99S1LHE Honda Ultra Next/Ultra Green Hybrid Engine Nissan KLANM-01A04 Extra Save X Eco Mitsubishi DiaQueen ECO Plus Mitsubishi MZ102661 Mitsubishi MZ102662 Toyota 08880-11005
O.S.T. OIL Maxi Fuel Economy 0W-16 GREEN 0094-000053	API SQ ILSAC GF-7B	-	Honda 08215-99974 Honda 08216-99974 Honda 08232-P99S1LHE Honda Ultra Next/Ultra Green Hybrid Engine Nissan KLANM-01A04 Extra Save X Eco Mitsubishi DiaQueen ECO Plus Mitsubishi MZ102661 Mitsubishi MZ102662 Toyota 08880-11005
O.S.T. OIL Hybrid Excellence 0W-16 0094-000758	API SP (RC) ILSAC GF-6B	-	Honda 08215-99974 Honda 08216-99974 Honda 08232-P99S1LHE Honda Ultra Next/Ultra Green Hybrid Engine Nissan KLANM-01A04 Extra Save X Eco Mitsubishi DiaQueen ECO Plus Mitsubishi MZ102661 Mitsubishi MZ102662 Toyota 08880-11005
0W-20			
O.S.T. OIL FS 0W-20 0094-000029	API SP (RC) ILSAC GF-6	-	Chrysler MS-6395 dexos1™ Gen 1 Fiat 9.55535-GSX/-CR1 Ford WSS-M2C947-A GM 6094M



PKW Motorenöle

Engine oils for passenger cars



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL FS Excellence LS 0W-20 0094-000061	API SN ACEA C5 ILSAC GF-5	VOLVO VCC RBS0-2AE 0W-20 - Service Fill	-
O.S.T. OIL Ultimate FE 0W-20 0094-000318	ACEA C5 API SN	-	-
O.S.T. OIL DXS Premium 0W-20 0094-000335	API SN Plus (RC) API SP (RC) ILSAC GF-5/GF-6A	API SP (RC) API SN Plus ILSAC GF-6A dexos1™ Gen3	Chrysler MS-6395 Fiat 9.55535-GSX/-CR1 Ford WSS-M2C947-B1 Ford WSS-M2C962-A GM 6094M
O.S.T. OIL FS Supreme 0W-20 0094-000543	API SP API SN Plus ACEA A1/B1 ACEA C5 ILSAC GF-6	Ford WSS-M2C952-A1 Jaguar Land Rover STJLR.03.5006 MB 229.71	dexosD Ford WSS-M2C962-A1 Opel/Vauxhall OV 0401547 - A20
O.S.T. OIL FE Excellence RN 0W-20 0094-000690	ACEA C5	-	Renault RN17 FE
O.S.T. OIL Premium LL-17 FE 0W-20 0094-000728	API SP (RC) ACEA C5 ACEA C6 ILSAC GF-5/GF-6A	MB 229.72	BMW Longlife-14 FE+ BMW Longlife-17 FE+ Chrysler MS-12145 dexosD Fiat 9.55535-GSX Ford WSS-M2C947-A1/B1 Ford WSS-M2C952-A1 Ford WSS-M2C954-A1 Ford WSS-M2C962-A1 Jaguar Land Rover STJLR.03.5006 MB 229.71 Opel/Vauxhall OV 0401547 A-20 Volvo VCC RBS0-2AE VWC 53037
O.S.T. OIL Hybrid Excellence 0W-20 0094-000759	API SP (RC) ILSAC GF-5/GF-6A	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota
O.S.T. OIL LongLife IV 0W-20 0094-000761	ACEA C5 ACEA A1/B1	VW 508 00/509 00	Ford WSS-M2C956-A1 MB 229.71 MB 229.72 Porsche C20

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL WIV LL IV 0W-20 0094-000776	ACEA C5	-	Ford WSS-M2C956-A1 MB 229.71 MB 229.72 Porsche C20 VW 508 00/509 00
O.S.T. OIL DXS 0W-20 0094-000902	API SP (RC) API SN Plus (RC) API SN Plus ILSAC GF-5/GF-6A	-	Chrysler MS-6395 dexos1™ Gen3 Fiat 9.55535-GSX/-CR1 Ford WSS-M2C947-B1 Ford WSS-M2C962-A GM 6094M
O.S.T. OIL FS Supreme FE 0W-20 0094-000964	API SP ACEA C5	-	Fiat 9.55535-CR1 MB 229.71 Opel/Vauxhall OV 0401547 A-20 PSA B71 2010 Renault RN17 FE
O.S.T. OIL Prime PS 2010 0W-20 0094-001010	API SP ACEA C5	-	Fiat 9.55535-CR1 MB 229.71 Opel/Vauxhall OV 0401547 A-20 PSA B71 2010 Renault RN17 FE
0W-30			
O.S.T. OIL HC 0W-30 0094-000037	API SL/CF ACEA A3/B4	-	BMW Longlife-01 MB 229.5 MB 229.3 Opel GM-LL-A-025 Opel GM-LL-B-025 Renault RN0700/RN0710 VOLVO VCC 95200356 VW 502 00/505 00
O.S.T. OIL LHC 0W-30 0094-000038	ACEA C2/C3	-	BMW Longlife-04 dexos2™ MB 229.31 MB 229.51 Renault RN0700/RN0710 VW 502 00/505 00/505 01
O.S.T. OIL FS 0W-30 0094-000047	API SL/CF ACEA A5/B5	-	VW 503 00/506 00/506 01
O.S.T. OIL LL Professional 0W-30 0094-000069	API SN ACEA C3	BMW Longlife-04 MB 229.31 MB 229.51 MB 229.52 Porsche C30 VW 504 00/507 00	-
O.S.T. OIL FS 0W-30 VLV 0094-000327	API SL/CF ACEA A5/B5	VOLVO VCC 95200377	Ford WSS-M2C920-A Renault RN0700/RN0710



PKW Motorenöle

Engine oils for passenger cars



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL FD Excellence 0W-30 0094-000329	ACEA C2	Ford WSS-M2C950-A Jaguar Land Rover STJLR.03.5007 VWC 53035	Fiat 9.55535-GS1/-DS1
O.S.T. OIL Premium LL-12 FE 0W-30 0094-000500	API SP (RC) ACEA C2 ACEA A5/B5 ILSAC GF-6	BMW Longlife-12 FE	Ford WSS-M2C950-A MB 227.61 MB 229.61 VWC 53035
O.S.T. OIL FS Low SAPS 0W-30 0094-000510	API SN/CF ACEA C2/C3	-	BMW Longlife-04 dexos2™ MB 229.31 MB 229.51 Renault RN0700/RN0710 VW 502 00/505 00/505 01
O.S.T. OIL FS Premium 0W-30 0094-000537	ACEA A5/B5	-	BMW Longlife-01 FE MB 229.6
O.S.T. OIL Ultra LS 0W-30 0094-000574	ACEA C1/C2 JASO DL-1	-	Fiat 9.55535-DS1 Fiat 9.55535-GS1 Jaguar Land Rover STJLR.03.5007 PSA B71 2302
O.S.T. OIL FS Super 0W-30 0094-000713	API SL ACEA A3/B4	Renault RN0700/RN0710	BMW Longlife-01 MB 229.5 Opel GM LL-A-025 Opel GM LL-B-025 VOLVO VCC 95200356 VW 502 00/505 00
O.S.T. OIL Hybrid Excellence 0W-30 0094-000806	API SP (RC) ILSAC GF-5/GF-6A	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota
O.S.T. OIL FS WIV-Combi 0W-30 0094-000840	API SN ACEA C3	-	BMW Longlife-04 MB 229.31 MB 229.51 MB 229.52 Porsche C30 VW 504 00/507 00
O.S.T. OIL Prime PS 2312 0W-30 0094-000965	ACEA C2 API SP	-	Fiat 9.55535-DS1/GS1 Ford WSS-M2C950-A PSA B71 2302 PSA B71 2312 STJLR.03.5007
O.S.T. OIL SN Extra 0W-30 0094-000968	API SN ACEA A5/B5 ACEA C2 ILSAC GF-5	-	Chrysler MS-6395 Fiat 9.55535 CR1

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
0W-30			
O.S.T. OIL Prime PS 2312 0W-30 0094-000965	ACEA C2 API SP	-	Fiat 9.55535-DS1/GS1 Ford WSS-M2C950-A PSA B71 2302 PSA B71 2312 STJLR.03.5007
0W-40			
O.S.T. OIL FS Excellence 0W-40 0094-000032	API SP API CF ACEA A3/B4	MB 229.5 Porsche A40 Renault RN0710 VW 502 00/505 00	BMW Longlife-01 Fiat 9.55535-M2/-Z2 Ford WSS-M2C937-A MB 226.5 MB 229.3 PSA B71 2296 Renault RN0700
O.S.T. OIL FS 0W-40 0094-000071	API SN/CF ACEA A3/B4	-	BMW Longlife-01 Fiat 9.55535-M2 Ford WSS-M2C937-A MB 226.5 MB 229.3 MB 229.5 Porsche A40 PSA B71 2296 Renault RN0700/RN0710 VW 502 00/505 00
O.S.T. OIL FS Low SAPS 0W-40 0094-000546	API SN/CF ACEA C3	-	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S2 Ford WSS-M2C917-A MB 226.5 MB 229.31 MB 229.51 Porsche C40 Renault RN0700/RN0710 VW 502 00/505 01
O.S.T. OIL Hybrid Excellence 0W-40 0094-000800	API SP (RC) ILSAC GF-5/GF-6A	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota
O.S.T. OIL FS Low SAPS 0W-40 Polar 0094-001077	API SP ACEA C3	-	BMW Longlife-04 MB 229.31 Opel OV0401547-D40 Opel OV0401547-G40
0W-50			
O.S.T. OIL FS Racing 0W-50 0094-000057	API SN/CF ACEA A3/B4	-	MB 229.1 MB 229.3 VW 501 01/505 00



PKW Motorenöle

Engine oils for passenger cars



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
5W-16			
O.S.T. OIL Super Fuel Economy 5W-16 0094-000052	API SN	-	Honda 08215-99974 Honda 08216-99974 Honda 08232-P99S1LHE Honda Hybrid Engine Honda Ultra Green Honda Ultra Next Mitsubishi Diaqueen Eco Plus Mitsubishi MZ102661 Mitsubishi MZ102662 Nissan KLANM-01A04 Extra Save X Eco Toyota 08880-11005
5W-20			
O.S.T. OIL FS Excellence FE 5W-20 0094-000040	API SN/CF ACEA C5 ILSAC GF-5	Ford WSS-M2C948-B Jaguar Land Rover STJLR.03.5004	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C945-B1 Ford WSS-M2C960-A dexos1™: 2015 (gen 2)
O.S.T. OIL FS 5W-20 0094-000046	API SP (RC) ILSAC GF-5/GF-6A	-	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C930-A Ford WSS-M2C945-A Ford WSS-M2C960-A
O.S.T. OIL Ultimate FE 5W-20 0094-000315	API SN (RC)/CF ACEA A1/B1 ACEA C5 ILSAC GF-5	-	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C948-A/B Ford WSS-M2C925-A/B Jaguar Land Rover STJLR.03.5004
O.S.T. OIL DXS Premium 5W-20 0094-000643	API SN Plus (RC) API SP (RC) ILSAC GF-5/GF-6A	-	Chrysler MS-6395 dexos1™ Gen3 Ford WSS-M2C945-B1 Ford WSS-M2C960-A
O.S.T. OIL Hybrid Excellence 5W-20 0094-000762	API SP (RC) ILSAC GF-5/GF-6A	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
5W-30			
O.S.T. OIL SEMis 5W-30 0094-000026	API SL/CF ACEA A3/B4	-	BMW Longlife-01 BMW Longlife-98 MB 229.3 MB 229.5 VW 502 00/505 00
O.S.T. OIL FS Low SAPS 5W-30 0094-000031	API SN/CF ACEA C2/C3	-	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S3 Ford WSS-M2C917-A MB 229.31 MB 229.51 MB 229.52 Opel/Vauxhall OV0401547-D30 Renault RN0700/RN0710 VW 502 00/505 00/505 01
O.S.T. OIL FS WIV-Combi 5W-30 0094-000035	API SN ACEA C3	-	BMW Longlife-04 Fiat 9.55535-S3 MB 229.31 MB 229.51 Porsche C30 VW 504 00/507 00
O.S.T. OIL FS Excellence FD 5W-30 0094-000039	API SP ACEA A5/B5	Ford WSS-M2C913-D Renault RN0700	Fiat 9.55535-N1 STJLR 03.5003 VWC 53036
O.S.T. OIL FS Select 5W-30 0094-000041	API SN/CF ACEA A3/B4	MB 229.3 MB 229.5 VW 502 00/505 00	BMW Longlife-01 MB 226.5 Opel GM LL-A-025 Opel GM LL-B-025 Renault RN0700/RN0710
O.S.T. OIL FS Excellence LS Ultra 5W-30 0094-000045	ACEA C1/C2	Jaguar Land Rover STJLR.03.5005	Fiat 9.55535-S1 Ford WSS-M2C934-A/B PSA B71 2290
O.S.T. OIL FS Excellence LS-M 5W-30 0094-000049	API SN/CF ACEA C2/C3	dexos2™ MB 229.31 MB 229.51 MB 229.52 VW 505 00/505 01	BMW Longlife-04 Chrysler MS-11106 Fiat 9.55535-S3 Ford WSS-M2C917-A Opel/Vauxhall OV0401547-D30
O.S.T. OIL FS Dura Fusion 5W-30 0094-000056	ACEA C4	MB 226.51 Renault RN0720	Fiat 9.55535-S4
O.S.T. OIL Super LS Ultra 5W-30 0094-000059	API SN/SM/CF ACEA A5/B5 ACEA C2	-	Fiat 9.55535-S1 IVECO 18-1811 Classe SC1 Renault RN0700



PKW Motorenöle

Engine oils for passenger cars



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL DXS 5W-30 0094-000060	API SN Plus (RC) API SP (RC) API SQ (RC) ILSAC GF-5/GF-6A ILSAC GF-7A	-	Chrysler MS-13340 Chrysler MS-6395 dexos1™ Gen3 Fiat 9.55535-CR1 Ford WSS-M2C929-A Ford WSS-M2C946-A/-B1 Ford WSS-M2C961-A GM 6094M Opel/Vauxhall OV0401547-G30 VWC 53034
O.S.T. OIL Excellence FDL 5W-30 0094-000068	API SN ACEA C2 ILSAC GF-5	-	Fiat 9.55535-S1 IVECO 18-1811 Classe SC1
O.S.T. OIL WIV-Multi LL 5W-30 0094-000074	API SN ACEA C3	BMW Longlife-04 MB 229.51 VW 504 00/507 00	Fiat 9.55535-S3 MB 229.31 Porsche C30
O.S.T. OIL FS Premium 5W-30 0094-000530	API SL ACEA A1/B1 ACEA A5/B5	-	MB 229.6
O.S.T. OIL DXS Premium 5W-30 0094-000541	API SN Plus (RC) API SP (RC) ILSAC GF-5/GF-6A	API SP (RC) API SN Plus dexos1™ Gen3	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C929-A Ford WSS-M2C946-A/-B1 Ford WSS-M2C961-A GM 6094M Opel/Vauxhall OV0401547-G30 VWC 53034
O.S.T. OIL Excellence RN 5W-30 0094-000688	ACEA C3	-	MB 226.52 Renault RN17 Renault RN0700/RN0710
O.S.T. OIL Hybrid Excellence 5W-30 0094-000760	API SP (RC) ILSAC GF-5/GF-6A	-	Honda Hybrid-Motoren Lexus Mitsubishi Nissan Toyota
O.S.T. OIL WIV-Multi Supreme 5W-30 0094-000765	API SQ ACEA C3	BMW Longlife-04 MB 229.51 MB 229.52 VW 504 00/507 00	dexos1™ Gen2 dexos2™ MB 229.31 Opel/Vauxhall OV0401547-D30 Opel/Vauxhall OV0401547-G30 Porsche C30

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL Extra 5W-30 0094-000952	API SP ILSAC GF-5/GF-6A	-	Chrysler MS-6395 Fiat 9.55535-CR1 Ford WSS-M2C929-A Ford WSS-M2C946-A GM 6094M
O.S.T. OIL Select Extra 5W-30 0094-000957	API SL/CF ACEA A3/B4	-	BMW Longlife-01 BMW Longlife-98 GM LL-B-025 MB 229.3 MB 229.5 VW 502 00/505 00
O.S.T. OIL FS Low SAPS Extra 5W-30 0094-000958	ACEA C2/C3 API SN/CF ILSAC GF-5	-	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S3 Ford WSS-M2C917-A MB 229.51 MB 229.52 Porsche C30 VW 502 00/505 01
O.S.T. OIL WIV-Combi SP PRO 5W-30 0094-000960	API SP ACEA C3	-	BMW Longlife-04 dexos1™ Gen 2 dexos2™ MB 229.31 MB 229.51 MB 229.52 Opel/Vauxhall OV0401547-D30 Opel/Vauxhall OV0401547-G30 Porsche C30 VW 504 00/507 00
O.S.T. OIL FS Low Saps SP PRO 5W-30 0094-000993	API SP ACEA C2/C3	-	BMW Longlife-04 MB 229.31 MB 229.51 MB 229.52 OV0401547-G30
O.S.T. OIL Prime PS 2290 5W-30 0094-001011	ACEA C1/C2	-	PSA B71 2290
O.S.T. OIL C2 5W-30 0094-001044	API SP ACEA C2 ILSAC GF-5	-	Fiat 9.55535-S1 Honda Hyundai KIA Renault RN 0700 Mazda Mitsubishi Subaru Toyota



PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL Prime PS 2297 5W-30 0094-001150	ACEA C2/C3 API SP	-	FPW9.55535/03 GM dexos 2 MB 229.31 MB 229.51 MB 229.52 OV0401547-D30 OV0401547-G30 PSA B71 2290/2297
O.S.T. OIL SEMiS 5W-30 0094-000026	ACEA A3/B4 API SL/CF	-	BMW Longlife-01 BMW Longlife-98 MB 229.3 MB 229.5 RN0700/RN0710 VW 502 00/505 00
5W-40			
O.S.T. OIL FS 5W-40 0094-000030	API SP/CF ACEA A3/B4	MB 229.3	BMW Longlife-98 Fiat 9.55535-H2/-M2/-N2 Opel GM LL-B-025 PSA B71 2296 Porsche A40 ab Modelljahr 1973 (außer Cayenne V6) Renault RN0700/RN0710 VW 502 00/505 00
O.S.T. OIL HC Synth. 5W-40 LS UN 0094-000034	API SP/CF ACEA C3	MB 229.31 MB 229.51 Renault RN0700/RN0710	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S2/-GH2 Ford WSS-M2C917-A MB 226.5 MB 229.52 Opel OV0401547 Porsche C40 VW 502 00 VW 505 00/505 01
O.S.T. OIL FS Elite 5W-40 0094-000042	API SP ACEA A3/B4	MB 229.5	BMW Longlife-01 Chrysler MS-10725 Chrysler MS-12991 Fiat 9.55535-H2/-M2 MB 226.5 MB 229.3 Opel GM LL-B-025 Porsche A40 PSA B71 2296 Renault RN0700/RN0710 VW 502 00/505 00
O.S.T. OIL FS Dura Fusion 5W-40 0094-000333	ACEA C4	-	MB 226.51 MB 229.51 Renault RN0720

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL FS Low SAPS 5W-40 0094-000512	API SN/CF ACEA C3	-	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S2 Ford WSS-M2C917-A MB 226.5 MB 229.31 MB 229.51 Porsche C40 Renault RN0700/RN0710 VW 502 00/505 00/505 01
O.S.T. OIL FS Low SAPS Extra 5W-40 0094-000975	ACEA C2/C3 API SN/CF ILSAC GF-5	-	BMW Longlife-04 Chrysler MS-11106 dexos2™ Fiat 9.55535-S3 Ford WSS-M2C917-A MB 226.5 MB 229.51 MB 229.52 Porsche C40 VW 502 00/505 01
5W-50			
O.S.T. OIL FS Racing 5W-50 0094-000144	API SN/CF ACEA A3/B4	-	MB 229.1 MB 229.3 Porsche A40 VW 501 01/505 00
10W-30			
O.S.T. OIL Semi Synth. 10W-30 0094-000027	API SN/CF ACEA A3/B4	-	MB 229.1
O.S.T. OIL FS 10W-30 0094-000073	API SL/CF ACEA A3/B4	-	BMW Special Oil MB 229.1 MB 229.3 VW 501 01/502 00/505 00
10W-40			
O.S.T. OIL Mineral 10W-40 0094-000011	API SF/CD	-	-



PKW Motorenöle

Engine oils for passenger cars



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL Mineral Turbo 10W-40 0094-000012	API CH-4 API SL/CF ACEA A3/B4 ACEA E2	-	Cummins CES 20071 Deutz DQC II-10 Mack EO-M MAN 271 MB 228.1 MB 229.1 MTU Typ 1 VOLVO VDS VW 501 01/505 00
O.S.T. OIL Semi Synth. 10W-40 0094-000025	API SM/CF ACEA A3/B4	-	BMW Special Oil Fiat 9.55535-D2/-G2 MB 229.1 PSA B71 2294 VW 501 01/505 00
O.S.T. OIL FS 10W-40 0094-000054	API SL/CF ACEA A3/B4	-	BMW Special Oil Fiat 9.55535-D2 Fiat 9.55535-G2 MB 229.1 PSA B71 2294 VW 500 00/502 00 VW 501 01/505 00
O.S.T. OIL FS Excellence HP 10W-40 0094-000432	API SP/CF ACEA A3/B4	MB 229.3	BMW Special Oil Fiat 9.55535-G2/-D2 MB 226.5 MB 229.1 PSA B71 2294 PSA B71 2300 Renault RN0700/RN0710 VW 501 01/502 00/505 00
O.S.T. OIL Semi Synth. GAS/LPG 10W-40 0094-000486	API SL/CF ACEA A3/B4	-	MB 229.1 VW 501 01/505 00
10W-50			
O.S.T. OIL FS Racing 10W-50 0094-000150	API SN/CF ACEA A3/B4	-	MB 229.1 MB 229.3 VW 501 00/505 00
10W-60			
O.S.T. OIL Racing Ultimate 10W-60 0094-000147	API SP/CF ACEA A3/B4	-	BMW M Serie Fiat 9.55535-H3 MB 229.1 VW 501 01/505 00

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL FS Racing 10W-60 0094-000151	API SN/CF ACEA A3/B4	-	BMW M Series Fiat 9.55535-H3 MB 229.1 VW 501 01/505 00
15W-40			
O.S.T. OIL Extra 15W-40 0094-000010	API SL/CF ACEA A3/B4	-	Fiat 9.55535-D2/-G2 MB 229.1 VW 501 01/505 00
15W-50			
O.S.T. OIL Racing 15W-50 0094-000145	API SN/CF ACEA A3/B4	-	MB 229.1
O.S.T. OIL FS Racing 15W-50 0094-000336	API SN/CF ACEA A3/B4	-	MB 229.1 MB 229.3 PSA B71 2294 PSA B71 2300 VW 501 01/505 00
20W-50			
O.S.T. OIL Classic SAE 20W-50 API SC 0094-000021	API SC	-	-
O.S.T. OIL Classic SAE 20W-50 API SE 0094-000022	API SE API CC	-	-
O.S.T. OIL FS 20W-50 0094-000152	API SN/CF ACEA A3/B4	-	MB 229.1 VW 501 01/505 00
Einbereichsöle Single grade oils			
O.S.T. OIL Classic SAE 30 API SA 0094-000015	API SA	-	-



PKW Motorenöle

Engine oils for passenger cars

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL Classic SAE 30 API SB 0094-000018	API SB	-	-
O.S.T. OIL Gas Engine Oil SAE 40 0094-000000	Caterpillar 3516 TALE engines	-	Caterpillar Group I Caterpillar Group II GE Jenbacher Typ 2, Typ 3, Typ 4 (Version A & B) GE Jenbacher Typ 6 (Version C & E) MWM MWM: Natural Gas (Class A), Biogas (Class B) Waukesha Group I Waukesha 7044GSI engines
O.S.T. OIL Classic SAE 40 API SA 0094-000016	API SA	-	-
O.S.T. OIL Classic SAE 40 API SB 0094-000019	API SB	-	-
O.S.T. OIL Classic SAE 50 API SA 0094-000017	API SA	-	-



Heavy Duty und LKW

Auf den folgenden Seiten finden Sie unser umfassendes Sortiment an Heavy Duty- und LKW-Ölen. Unsere Öle sind speziell für höchste Belastungen, hohe Temperaturen und Dauerbelastung entwickelt. Sie gewährleisten unter allen Einsatzbedingungen eine hohe Performance und bieten optimalen Schutz vor Verschleiß, Ablagerungen und Oxidation.

Heavy Duty and Trucks

On the following pages, you will find our comprehensive range of heavy duty and truck oils. Our oils are specially formulated for extreme loads, high temperatures and continuous operation. They deliver consistently high performance in all conditions and provide excellent protection against wear, deposits and oxidation.



LKW Motorenöle

Heavy duty engine oils



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
5W-20			
O.S.T. OIL Low SAPS HD Ultra 5W-20 0094-000873	-	-	MAN M 3977 Scania LDF-5
5W-30			
O.S.T. OIL Ultra Low SAPS HD 5W-30 0094-000110	API CJ-4 ACEA E4/E6/E7/E9	DTFR 15C110 (228.51) DTFR 15C120 (228.52) Mack EO-O Premium Plus MAN M 3677 Renault VI RLD-3 VOLVO VDS-4	Caterpillar ECF-3 Cummins CES 20081 DAF Extended Drain DDC 93K218 Deutz DQC IV-10 LA DTFR 13D110 (235.28) DTFR 15C100 (228.31) Iveco 18-1804 TLS E6 MAN M 3271-1 MAN M 3477 MAN M 3575 MAN M 3691 MTU Typ 3.1 MTU Typ 2.1 Scania LDF-4 Scania Low Ash Voith Retarder B VOLVO CNG
O.S.T. OIL Universal Performance 5W-30 0094-000111	API CK-4/SN ACEA E6/E7/E8/E9/E11 JASO DH-2	-	Caterpillar ECF-3 Cummins CES 20081/20086 DAF Extended Drain DDC 93K222 DDC 93K218 Deutz DQC IV-10 LA Deutz DQC IV-18 LA DTFR 15C100 (228.31) DTFR 15C110 (228.51) Ford WSS-M2C213-A1 IVECO Mack EOS-4.5 MAN M 3277 MAN M 3271-1 MAN M 3477 MAN M 3677 MB 226.9 MTU Typ 3.1 Renault VI RLD-3 SCANIA LDF-4 Voith Retarder B VOLVO VDS-4.5
O.S.T. OIL Ultra USHPD 5W-30 0094-000112	API CI-4/CF ACEA E4/E7 Global DHD-1 JASO DH-1	-	Caterpillar ECF-2 Cummins CES 20076/20078 DAF Deutz DQC IV-10 DTFR 15B120 (228.5) DTFR 13D110 (235.28) Ford WSS-M2C212-A1 IVECO 18-1804 TFE Mack EO-M Plus Mack EO-N MAN M 3277 MTU Typ 3 Renault VI RLD-2/RXD SCANIA LDF-3 Voith Retarder B VOLVO VDS-3
O.S.T. OIL Premium UHPD 5W-30 0094-000571	API CI-4 ACEA E4/E7 Global DHD-1 JASO DH-1	-	Caterpillar ECF-2 Cummins CES 20076/20078 Deutz DQC IV-10 DTFR 15B120 (228.5) Mack EO-M Plus Mack EO-N MAN 3277 MAN 3377 MTU Typ 3 Renault VI RXD/RLD-2 SCANIA LDF VOLVO VDS-3

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL HD Diesel Supreme 5W-30 0094-000594	API FA-4/SN/SN Plus ACEA F01 JASO DH-2	Mack EOS-5 Renault Trucks RLD-5 Volvo VDS-5	Cummins CES 20087 DTFR 15C130 (228.61) DDC 93K223
O.S.T. OIL Low SAPS HD Supreme 5W-30 0094-000595	API CK-4/SN ACEA E6/E7/E8/E9/E11 JASO DH-2	Caterpillar ECF-3 Deutz DQC IV-18 LA DTFR 15C110 (228.51) MAN M 3677 MAN M 3775 Mack EOS-4.5 MAN M 3691 Renault VI RLD-3 SCANIA LDF-4 VOLVO VDS-4.5	Cummins CES 20086 DAF PSQL 2.1E LD DDC 93K222 DEUTZ TTCD-Motoren DTFR 15C100 (228.31) DTFR 15C120 (228.52) Ford WSS-M2C213-A1 Iveco 18-1804 TLS E6 LH-00-ENG LA MAN M 3271-1 MAN M 3477 MAN M 3777 MTU Typ 3.1 Scania Low Ash
5W-40			
O.S.T. OIL Heavy Duty FS 5W-40 0094-000113	API CJ-4 API SM ACEA E7/E9	-	Caterpillar ECF-2 Caterpillar ECF-3 Chrysler MS-10902 Cummins CES 20081 DDC 93K214 DDC 93K215 DDC 93K218 Deutz DQC II-10 LA DTFR 15C100 (228.31) Ford WSS-M2C171-F1 Mack EO-O Premium Plus MAN M 3275 MAN M 3575 MTU Typ 1 MTU Typ 2 Renault VI RLD-3 VOLVO VDS-4
10W-30			
O.S.T. OIL SHPD 10W-30 0094-000092	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	-	Caterpillar ECF-2 Cummins CES 20071/20072/20076/20077/20078 DAF DDC 93K215 Deutz DQC III-10 DTFR 15B110 (228.3) Mack EO-N MAN M 3275-1 MTU Typ 2 Renault VI RLD-2 VOLVO VDS-3
O.S.T. OIL Mid SAPS SHPD 10W-30 0094-000093	API SN API CK-4/CF ACEA E9/E11	-	Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081 DDC 93K218 Deutz DQC III-10 LA DTFR 15C100 (228.31) Ford WSS-M2C171-F1 Mack EO-O Premium Plus MAN M 3575 MTU Typ 2.1 Renault VI RLD-3 VOLVO VDS-4



LKW Motorenöle

Heavy duty engine oils



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL Euro 6 Diesel 10W-30 0094-000101	API CI-4 ACEA E6/E7 JASO DH-2	-	Cummins CES 2007/20077 DAF Deutz DQC IV-10 LA DTFR 15C110 (228.51) Mack EO-N MAN M 3271-1 MAN M 3477 MB 226.9 MTU Typ 3.1 Renault VI RLD-2 Renault VI RXD/RGD VOLVO VDS-3
O.S.T. OIL Diesel Super 10W-30 0094-000102	API CF-4 ACEA E2	-	Allison C-4 Caterpillar TO-2 MAN 271 MB 228.1 MTU Typ 2 VOLVO VDS VW 505 00
O.S.T. OIL Low SAPS HD Excellence 10W-30 0094-000350	API CK-4/SN ACEA E6/E7/E8/E9/E11	DTFR 15C110 (228.51) Mack EOS-4.5 Renault VI RLD-3 VOLVO VDS-4.5	Caterpillar ECF-3 Cummins CES 20081/20086 DAF PSQL 2.1E LD DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA MAN M 3271-1 MAN M 3775 MAN M 3677 MAN M 3477 MTU Typ 3.1 SCANIA Low Ash
O.S.T. OIL HD Diesel Supreme 10W-30 0094-000502	API SN/FA-4 ACEA F01	-	Cummins CES 20087 DDC 93K223 DTFR 15C130 (228.61)
O.S.T. OIL Universal Performance 10W-30 0094-000646	API CK-4/SN ACEA E6/E7/E8/E9/E11	-	Caterpillar ECF-1 Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081/20086 DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA DTFR 15C100 (228.31) DTFR 15C110 (228.51) Mack EOS-4.5 MAN M 3477 MAN M 3575 MAN M 3275 MTU Typ 3.1 Renault VI RLD-4 VOLVO VDS-4.5/VDS-4
O.S.T. OIL Low Emission Diesel 10W-30 0094-000647	API CK-4/SN ACEA E6/E7/E8/E9/E11	-	Caterpillar ECF-3 Cummins CES 20081/20086 DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA DTFR 15C110 (228.51) Mack EOS-4.5 MAN M 3477 MTU Typ 3.1 Renault VI RLD-4 VOLVO VDS-4.5

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M.-Anforderungen <i>Formulation according to O.E.M. requirements</i>	Empfehlungen <i>Recommendations</i>
10W-40			
O.S.T. OIL Low Emission Diesel 10W-40 0094-000094	API CK-4 API SN/CF ACEA E6/E7/E8/E9/E11 Global DHD-1 JASO DH-2	-	Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081 DDC 93K218 Deutz DQC III-10 LA DTFR 15C100 (228.31) IVECO 18-1804 TLS E9 Mack EO-O Premium Plus MAN M 3575 MTU Typ 2.1 Renault VI RLD-3 VOLVO VDS-4
O.S.T. OIL HC SHPD Diesel 10W-40 0094-000098	API CI-4/SL ACEA A3/B4 ACEA E3/E5/E7 Global DHD-1 JASO DH-1	Cummins CES 20077/20078 DTFR 15B110 (228.3) Mack EO-N Renault VI RLD-2 VOLVO VDS-3	Allison C-4 Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20076 DAF DDC 93K215 Deutz DQC III-10 DTFR 13D110 (235.28) Mack EO-M Plus MAN M 3275-1 MB 229.1 MTU Typ 2 Voith Retarder B VW 500 00/501 01/505 00
O.S.T. OIL HC PT Diesel 10W-40 0094-000100	API CI-4 ACEA E4/E7 Global DHD-1 JASO DH-1	Cummins CES 20077/20078 DTFR 15B120 (228.5) Mack EO-N MAN M 3277 MTU Typ 3 Renault VI RLD-2 VOLVO VDS-3	Cummins CES 20076 Daewoo-Avia DAF HP-1 DAF HP-2 DDC 93K215 Deutz DQC III-10 IVECO 18-1804 T3 E4 Renault VI RXD SCANIA LDF-2 Tatra TDS 40/16 TEDOM 258-4 Voith Retarder B Zetor
O.S.T. OIL Universal UHPD 10W-40 0094-000103	API CI-4 ACEA E6/E7/E9 JASO DH-2	Deutz DQC IV-18 LA DTFR 15C110 (228.51) Mack EO-N MTU Typ 3.1 Renault VI RLD-2 VOLVO VDS-3	Caterpillar ECF-2 Cummins CES 20076/20077/20078 DAF HP-2 MAN M 3271-1 MAN M 3277 MAN M 3477 Renault VI RXD/RGD SCANIA Low Ash
O.S.T. OIL Low SAPS HD Premium 10W-40 0094-000351	API CK-4/SN ACEA E6/E7/E8/E9/E11 JASO DH-2	Deutz DQC IV-10 LA DTFR 15C110 (228.51) Mack EOS-4.5 Renault VI RLD-3 VOLVO VDS-4.5	Caterpillar ECF-3 Cummins CES 20081/20086 DAF Extended Drain DDC 93K222 DDC 93K218 Deutz DQC IV-18 LA DTFR 15C100 (228.31) IVECO 18-1804 CLASSE TLS E9 MAN M 3271-1 MAN M 34777 MAN M 3775 MB 228.52 MTU Typ 3.1 SCANIA Low Ash Level



LKW Motorenöle

Heavy duty engine oils



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL Ultra LS HD 10W-40 0094-000501	API CJ-4 ACEA E4/E6/E7/E9 JASO DH-2	DTFR 15C110 (228.51) DTFR 15C120 (228.52) Mack EO-O Premium Plus Renault VI RLD-3 VOLVO VDS-4	Caterpillar ECF-3 Cummins CES 20081 DAF DDC 93K218 Deutz DQC IV-10 LA DTFR 13D110 (235.28) DTFR 15C100 (228.31) IVECO 18-1804 TLS E9 IVECO 18-1809 NG2 MAN M 3271-1 MAN M 3477 MAN M 3575 MTU Typ 3.1 SCANIA Low Ash Voith Retarder B VOLVO CNG
O.S.T. OIL Universal Performance 10W-40 0094-000644	ACEA E6/E7/E8/E9/E11 API CK-4/SN JASO DH-2	-	Caterpillar ECF-1/ECF-2/ECF-3 Cummins CES 20081/20086 DAF HP-2 DDC 93K218 DDC 93K222 Deutz DQC IV-10 LA DTFR 15C100 (228.31) DTFR 15C110 (228.51) Iveco 18-1804 TLS E9 Mack EOS-4.5 MAN M 3775 MAN M 3477 / 3575 / 3275 / 3271-1 MTU Typ 3.1 Renault VI RLD-3 Scania Low Ash VOLVO VDS-4.5
15W-40			
O.S.T. OIL SHPD Diesel 15W-40 0094-000082	API CI-4/SL ACEA A3/B4, E3/E5/E7 Global DHD-1 JASO DH-1	Cummins CES 20076/20077/20078 DTFR 15B110 (228.3) Mack EO-N Renault VI RLD-2 VOLVO VDS-3	Allison C-4 Caterpillar ECF-1a Caterpillar ECF-2 Caterpillar TO-2 Cummins CES 20071/20072 DDC 93K215 Deutz DQC III-18 IVECO 18-1804 T2 E7 MAN M 3275-1 MB 228.1 MB 229.1 MTU Typ 2
O.S.T. OIL LE Diesel Performance 15W-40 0094-000105	API CK-4/SN ACEA E9/E11 Global DHD-1 JASO DH-2	Cummins CES 20081 Mack EO-O Premium Plus Renault VI RLD-3 VOLVO VDS-4	Caterpillar ECF-2 Caterpillar ECF-3 DDC 93K218 Deutz DQC III-10 LA DTFR 15C100 (228.31) Ford WSS-M2C171-F1 John Deere JDQ 78 X MAN M 3575 MTU Typ 2.1
O.S.T. OIL 340 HSS SHPD 15W-40 0094-000109	API CI-4/SL ACEA E7 Global DHD-1 JASO DH-1	-	Cummins CES 20078 Caterpillar ECF-1-a Deutz DQC-III-10 DTFR 15B110 (228.3) Komatsu CES 20081 Mack EO-N MAN M 3275-1 MTU Typ 2 Renault VI RLD-2 VOLVO VDS-3
O.S.T. OIL HD Diesel Premium 15W-40 0094-000538	API CK-4/SN ACEA E7/E9/E11 JASO DH-2	Mack EOS-4.5 Renault VI RLD-3 VOLVO VDS-4.5	Caterpillar ECF-3 Cummins CES 20081/20086 DDC 93K218 DDC 93K222 Deutz DQC III-10 LA DTFR 15C100 (228.31) Ford WSS-M2C171-E/-F1 John Deere JDQ 78 X MAN M 3275 MAN M 3575 MTU Typ 2.1

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL Universal Performance 15W-40 0094-000604	API CK-4/SN ACEA E6/E7/E8/E9/E11 Global DHD-1 JASO DH-2	-	Caterpillar ECF-1 Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081/20086 DDC 93K218 Deutz DQC III-10 LA DTFR 15C100 (228.31) DTFR 15C110 (228.51) Ford WSS-M2C171-F1/-E Iveco 18-1804 TLS E9 Mack EO-O Premium Plus Mack EOS 4.5 MAN M 3575 MAN M 3275 MAN M 3775 MTU Typ 2.1 Renault VI RLD-3 VOLVO VDS-4
O.S.T. OIL Low Emission Diesel 15W-40 0094-000645	API CK-4/SN ACEA E7/E9/E11 Global DHD-1 JASO DH-2	-	Caterpillar ECF-2 Caterpillar ECF-3 Cummins CES 20081 DDC 93K218 Deutz DQC III-10 LA DTFR 15C100 (228.31) IVECO 18-1804 TLS E9 Mack EO-O Premium Plus MAN M 3575 MTU Typ 2.1 Renault VI RLD-3 VOLVO VDS-4
20W-20			
O.S.T. OIL Super Truck 20W-20 0094-000090	API CF-4/SG ACEA B4/E2 MIL-L-46152 B MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 DTFR 13D100 (235.27) MAN 270 MB 228.0 Voith Retarder A ZF TE-ML 03A/06A/03C/07D
20W-50			
O.S.T. OIL 350 HSS SHPD 20W-50 0094-000077	API CI-4/SL ACEA E7 Global DHD-1 JASO DH-1	-	Cummins CES 20078 Caterpillar ECF-1-a Deutz DQC-III-10 DTFR 15B110 (228.3) Komatsu CES 20081 Mack EO-N MAN M 3275-1 MTU Typ 2 Renault VI RLD-2 VOLVO VDS-3
O.S.T. OIL SHPD 20W-50 0094-000083	API CI-4 API SL/CF ACEA A3/B4 ACEA E7 Global DHD-1 JASO DH-1	-	Allison C-4 Caterpillar ECF-1a Caterpillar ECF-2 DDC 93K215 DTFR 15B110 (228.3) MB 229.1



LKW Motorenöle

Heavy duty engine oils



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
25W-50			
O.S.T. OIL HSS SHPD 25W-50 0094-000078	API CI-4/SL	-	-
Einbereichsöle <i>Single grade oils</i>			
O.S.T. OIL Mineral Super 30 0094-000007	API SF/CF CCMC G4 MIL-L-46152 B MIL-L-2104 D	-	MB 227.0 MB 228.0
O.S.T. OIL Super Truck 30 0094-000085	API CF-4/SG ACEA B4/E2 MIL-L-46152 B MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 MAN 270 MB 228.0 MTU Typ 1 ZF TE-ML 03A/04B/02C/03C/07F/02H
O.S.T. OIL Super Truck Turbo 40 0094-000091	API CI-4/SL ACEA A3/B3 ACEA E3/E5/E7 MIL-L-2104 E	-	Caterpillar TO-2 Deutz DQC II-10 DTFR 15B100 (228.2) MAN 270 MAN M 3275-2 MTU Typ 2 VOLVO VDS
O.S.T. OIL Mineral Super 40 0094-000009	API SF/CF CCMC G4 MIL-L-46152 B MIL-L-2104 D	-	MB 227.0 MB 228.0

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M.-Anforderungen <i>Formulation according to O.E.M. requirements</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Super Truck 40 0094-000086	API CF-4/SG ACEA B4/E2 MIL-L-46152 B MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 DTFR 13B120 (235.12) MAN 270 MB 228.0 MTU Typ 1 ZF TE-ML 04A/04B/02H
O.S.T. OIL Mineral Super 50 0094-000006	API SF/CF CCMC G4 MIL-L-46152 B MIL-L-2104 D	-	MB 227.0 MB 228.0
O.S.T. OIL Super Truck Turbo 50 0094-000079	API CI-4/SL ACEA A3/B3 ACEA E3/E5/E7 MIL-L-2104 E	-	Caterpillar TO-2 Deutz DQC II-10 DTFR 15B100 (228.2) MAN 270 MAN M 3275-2 MTU Typ 2 VOLVO VDS
O.S.T. OIL Super Truck 50 0094-000088	API CF-4/SG ACEA B4/E2 MIL-L-46152 B MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 MB 228.0 ZF TE-ML 04B/04E
O.S.T. OIL Super Truck Turbo 60 0094-000099	API CI-4/SL ACEA A3/B3 ACEA E3/E5/E7 MIL-L-2104 E	-	Caterpillar TO-2 Deutz DQC II-10 DTFR 15B100 (228.2) MAN 270 MAN M 3275-2 MTU Typ 2 VOLVO VDS
O.S.T. OIL Super Truck 60 0094-000535	API CF-4/SG ACEA B4/E2 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 MB 228.0 ZF TE-ML 04B/04E



LKW Motorenöle

Heavy duty engine oils



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
O.S.T. OIL Mineral Super 70 0094-000076	API CF/SF CCMC G4/D4/PD2 MIL-L-46152 B MIL-L-2104 D	-	MB 227.0 MB 228.0
O.S.T. OIL Mineral Super 10W 0094-000087	API SF/CD CCMC G4 MIL-L-46152 B MIL-L-2104 D	-	DTFR 13D100 (235.27) MB 227.0 MB 228.0 Voith Retarder A
O.S.T. OIL Super Truck 10W 0094-000089	API CF-4/SG ACEA B4/E2 MIL-L-46152 B MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 DTFR 13D100 (235.27) MAN 270 MB 228.0 Voith Retarder A ZF TE-ML 03B/04B/03C/05K



Gemischter Fuhrpark

Auf den folgenden Seiten finden Sie unser umfassendes Sortiment an Ölen für gemischte Fuhrparks. Unsere Produkte sind für den Einsatz in einer Vielzahl von Fahrzeugen und Maschinen ausgelegt - von PKW, Transportern und LKW über Baumaschinen, Landmaschinen bis hin zu Bussen und Flurförderfahrzeugen. Sie gewährleisten zuverlässigen Schutz, hohe Performance und lange Lebensdauer.

Mixed Fleet

On the following pages, you will find our comprehensive range of oils for mixed fleets. Our products are formulated for use in a wide variety of vehicles and machines—from passenger cars, vans, and trucks to construction equipment, agricultural machinery, buses and material handling vehicles. They ensure reliable protection, high performance and extended service life.



Gemischter Fuhrpark

Mixed fleet

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
10W-30			
O.S.T. OIL Mineral Standard 10W-30 0094-000005	API SF/CD ACEA A2/B2 CCMC G4/D4/PD2 MIL-L-46152 B MIL-L-2104 D	-	MB 227.1
15W-40			
O.S.T. OIL Mineral Super HD 15W-40 0094-000004	API CG-4 API SL/CF ACEA A3/B3 ACEA E2 MIL-L-2104 E	API SL	Allison C-4 Caterpillar TO-2 Deutz DQC I-02 Mack EO-L MAN 271 MAN M 3275-1 MB 229.1 MTU Typ 2 VOLVO VDS VW 501 01/505 00 ZF TE-ML 07C
O.S.T. OIL Mineral 15W-40 0094-000008	API SF/CD	-	-
O.S.T. OIL Mineral Super 15W-40 0094-000310	API SF/CD ACEA A2/B2 MIL-L-46152 B MIL-L-2104 D	-	MB 227.1
15W-50			
O.S.T. OIL Mineral Super 15W-50 0094-000013	API SF/CD	-	-

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M.-Anforderungen Formulation according to O.E.M. requirements	Empfehlungen Recommendations
20W-20			
O.S.T. OIL Mineral Super 20W-20 0094-000084	API SF/CD CCMC G4 MIL-L-46152 B MIL-L-2104 D	-	DTFR 13D100 (235.27) MB 227.0 MB 228.0 Voith Retarder A
20W-50			
O.S.T. OIL Mineral Turbo 20W-50 0094-000003	API CH-4 API SL/CF ACEA A3/B4 ACEA E2	-	Cummins CES 20071 Deutz DQC II-10 Mack EO-M MAN 271 MB 228.1 MB 229.1 MTU Typ 1 VOLVO VDS VW 501 01/505 00
O.S.T. OIL Mineral Extra 20W-50 0094-000311	API SF/CD ACEA A2/B2 CCMC G4/D4/PD2 MIL-L-46152 B MIL-L-2104 D	-	MB 227.1
O.S.T. OIL Ultra 20W-50 0094-000314	API SL JASO MA2	-	-





Getriebeöle

Auf den folgenden Seiten finden Sie unser umfassendes Sortiment an Getriebeölen. Unsere Hochleistungsöle gewährleisten zuverlässige Schmierung, reduzieren Verschleiß und sorgen für präzise Schaltvorgänge sowie maximale Kraftübertragung. Sie bieten exzellenten Schutz vor Korrosion, Oxidation und Schaumbildung.

Gear oils

On the following pages, you will find our comprehensive range of gear oils. Our high-performance oils ensure reliable lubrication, reduce wear and provide precise shifting as well as maximum power transmission. They deliver excellent protection against corrosion, oxidation and foaming.

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
Automatikgetriebeöle Automatic transmission oils			
O.S.T. OIL Dexron D II RED 0094-000157	GM DEXRON® D II Ford MERCON®	-	Caterpillar TO-2 DTFR 13C120 (236.2) DTFR 13C140 (236.7) Ford ESP-M2C166-H Ford WSS-M2C185-A Ford SQM-2C9010-B Ford WSS-M2C138-CJ MAN 339 Typ Z1 MB 236.6 Renk Doromat Voith 55.6335.xx ZF TE-ML 11A/14A/17C/03D/04D/05L
O.S.T. OIL FS Dexron II E RED 0094-000184	GM DEXRON® II E Ford MERCON®	-	Allison C-4 (ATF II E) Caterpillar TO-2 DTFR 13C150 (236.8) MAN 339 Typ V2/Z2 MB 236.5 Voith 55.6336.3x Extended Drain (G1363) ZF TE-ML 14B/04D/16L/09X
O.S.T. OIL Dexron III H COLORLESS 0094-000180	GM DEXRON® III H Ford MERCON®	-	Allison C-4 Allison TES-389 BMW 83 22 9 407 807 BMW 83 22 9 407 858 Caterpillar TO-2 DTFR 13C100 (236.1) DTFR 13C120 (236.2) DTFR 13C140 (236.7) DTFR 13C170 (236.9) Ford WSS-M2C138-CJ Ford ESP-M2C166-H MAN 339 Typ L1/V1/Z1 MAN 339 Typ V2/Z2 MB 236.6 MB 236.10 Voith H 55.6336.3x Extended Drain (G1363) Voith H 55.6335 VOLVO 1161521 VOLVO 1161511 VOLVO 97340 VOLVO 97341 ZF TE-ML 09A/14A/09B/11B/17C/03D/04D/02F
O.S.T. OIL Dexron III H RED 0094-000182	GM DEXRON® III H Ford MERCON®	-	Allison C-4 Allison TES-389 BMW 83 22 9 407 807 BMW 83 22 9 407 858 Caterpillar TO-2 DTFR 13C100 (236.1) DTFR 13C120 (236.2) DTFR 13C140 (236.7) DTFR 13C170 (236.9) Ford WSS-M2C138-CJ Ford ESP-M2C166-H MAN 339 Typ L1/V1/Z1 MAN 339 Typ V2/Z2 MB 236.6 MB 236.10 Voith H 55.6336.3x Extended Drain (G1363) Voith H 55.6335 VOLVO 1161521 VOLVO 1161511 VOLVO 97340 VOLVO 97341 ZF TE-ML 09A/14A/09B/11B/17C/03D/04D/02F
O.S.T. OIL Dexron III G COLORLESS 0094-000181	GM Dexron® III G Ford MERCON®	-	Allison C-4 Caterpillar TO-2 DTFR 13C100 (236.1) Ford WSS-M2C195-A MAN 339 Typ V1/Z1 MB 236.5 Voith 55.6335.XX (G607) ZF TE-ML 14A/11B/17C/03D/04D/09/02F
O.S.T. OIL Dexron III G RED 0094-000158	GM DEXRON® III G Ford MERCON®	-	DTFR 13C100 (236.1) Ford WSA-M2C195-A MAN 339 Typ V1/Z1 MB 236.5 Voith H55.6335.XX (G607) ZF TE-ML 14A/11B/17C/03D/04D/09/02F



Getriebeöle

Transmission fluids



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OIL ATF DX VI COLORLESS 0094-000185	GM DEXRON®-VI Aisin Warner AW-1	-	ATF Typ 3.0, ATF Typ 3.1 BMW/Mini ATF 3+ Ford/Lincoln/Mercury XT-6-DSP [SP] Ford/Lincoln/Mercury XT-6-QSP [SP] Honda ATF DW-1 Hyundai/Kia NWS-9638 T-5 Isuzu ATF WSI Jaguar/Land Rover Fluid 8432 Mazda FZ Mazda FW 6A EL Mazda FW 6AX EL MB 236.12 MB 236.14 MB 236.41 Mitsubishi DiaQueen ATF J3/PA Nissan Matic-S Porsche 000 043 304 00 Shell 3353 Shell 134 Shell M-1375.4 Shell 12108 SP-IV/SPH-IV/SP-IV-RR Toyota Scion FZ Toyota WS VOLVO 97342 AT102 VW G 052 533 VW G 055 005 A/A2 VW G 055 540 A2 VW G 060 162 A1/A2/A6 ZF LifeguardFluid 5/6
O.S.T. OIL ATF DX VI RED 0094-000186	GM DEXRON®-VI Aisin Warner AW-1	-	ATF Typ 3.0, ATF Typ 3.1 BMW/Mini ATF 3+ Ford MERCON® LV Ford/Lincoln/Mercury XT-6-DSP [SP] Ford/Lincoln/Mercury XT-6-QSP [SP] Honda ATF DW-1 Hyundai/Kia NWS-9638 T-5 Isuzu ATF WSI Jaguar/Land Rover Fluid 8432 Mazda FZ Mazda FW 6A EL Mazda FW 6AX EL MB 236.12 MB 236.14 MB 236.41 Mitsubishi DiaQueen ATF J3/PA Nissan Matic-S Porsche 000 043 304 00 Shell 3353 Shell 134 Shell M-1375.4 Shell 12108 SP-IV/SPH-IV/SP-IV-RR Toyota Scion FZ Toyota WS VOLVO 97342 AT102 VW G 052 533 VW G 055 005 A/A2 VW G 055 540 A2 VW G 060 162 A1/A2/A6 ZF LifeguardFluid 5/6
O.S.T. OIL DX ULV RED 0094-000845	-	-	ACDelco 104107 Aisin AW-2 BMW 83 22 2413 477 DEXRON ULV - ab BJ 2017 GM 10L90 10-Gang AT Ford - 2 179 795 Ford 196825 Ford USA - 2 179 795 Ford WSS-M2C949-A GM 19352619 MERCON ULV - ab BJ 2017 Ford 10R80 10-Gang AT Motorcraft XT-12-QULV VW G 060 540
O.S.T. OIL CVT Fluid 0094-000170	-	-	Audi TL 52 180 (G 052 180) Audi TL 52 516 (G 052 516) BMW/Mini (EVL799) Daihatsu TC/Amix CVTF-DC Daihatsu TC/Amix CVTF-DFE Dodge/Jeep NS-2 Dodge/Jeep CVTF+4 Ford (CVT23/30) Mercon C GM / SATURN DEX-CVT Honda HCF-2 Honda HMMF KIA/Hyundai CVTF MB 236.20 Mitsubishi Dia/Queen NS-2 Mitsubishi Dia/Queen CVT-Fluid J1/J4 Nissan NS-2 Nissan NS-3 Renault ELFMATIC Subaru ECVT/iCVT Subaru Linatronic CVTF Subaru NS-2 Suzuki TC Suzuki TC NS-2 Suzuki TC CVT Green 1/2 Toyota TC

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OIL CVT LV RED 0094-000868	-	-	Audi/VW (G 052 180, G 052 516) Daihatsu (Amix CVTF-DC / Amix CVTF DFE) Dodge / Jeep (NS-2 / CVTF+4) Ford (CVT23) GM/Saturn (DEX-CVT) Honda (HMMF & HFC-2) Hyundai / Kia (SP-III) Hyundai Genuine CVTF MB 236.20 Mini Cooper (E2L 799) Mitsubishi (CVTF-Diaqueen J1/ Diaqueen J-4/SP-III) Nissan (NS-2) Subaru (NS-2 / Lineartronic CVTF) Suzuki (TC / NS-2 / CVT Green 1/CVTF Green 2) Toyota (TC)
O.S.T. OIL DCT/DSG Super 0094-000166	-	-	BMW 83 22 0 440 214 BMW 83 22 2 147 477 BMW 83 22 2 148 578 BMW 83 22 2 148 579 BMW DCTF-1 Ford WSS-M2C936-A MB 236.21 Mitsubishi Dia/Queen SSTF-I Peugeot/Citroen 9734.S2 Porsche Oil No. 999.917.080.00 VOLVO 1161838 VOLVO 1161839 VW TL 052 182 A2 VW TL 052 529
O.S.T. OIL DCT/DSG Super HC 0094-000168	-	-	BMW 83 22 0 440 214 BMW 83 22 2 147 477 BMW 83 22 2 148 578 BMW 83 22 2 148 579 BMW DCTF-1 MB 236.21 Mitsubishi Dia/Queen SSTF-I Peugeot/Citroen 9734.S2 Porsche Oil No. 999.917.080.00 VOLVO 1161838 VOLVO 1161839 VW TL 052 182 A2 VW TL 052 529
O.S.T. OIL ATF HD Premium TES 6 0094-000892	GM Dexron® III G/III H GM Dexron® II D JASO M315 Type 1A	-	Allison TES 295®/TES 389®/TES 468®/TES 668® Caterpillar TO-2 DTFR 13C190 (236.92) Ford P/N XT-2-QDX Ford P/N XT-5-QM MAN 339 Type V1/V2/Z1/Z12/Z2/Z3 MB 236.7 MB 236.9 Voith H55.6335 Voith H55.6336 VOLVO 97340 VOLVO 97341
O.S.T. OIL ATF M17 ULV GREEN 0094-001017	-	-	MB 236.16 MB 236.17
75W			
O.S.T. OIL Gear Extra 75W 512 A2 0094-001051	API GL-4/5	-	VW G055 512 A2



Getriebeöle

Transmission fluids



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
75W-80			
O.S.T. OIL Gear Super Synth. 75W-80 GL-4 0094-000204	API GL-4	-	PSA Standard B 71 2315
O.S.T. OIL Truck Gear LongLife 75W-80 RED 0094-000218	API GL-4 MIL-L-2105	MAN 341 Typ Z4 ZF TE-ML 16K/01L/02L	DAF Eaton (Extended drain) IVECO 18-1807 MAN 341 Typ E3/VR VOLVO 97305 VOLVO 97307 VOLVO 97318
O.S.T. OIL Gear Extra 75W-80 0094-000405	API GL-4	-	PSA Standard B 71 2315
O.S.T. OIL MTF Universal 75W-80 0094-000159	API GL-4	-	Audi/VW G009 317 Audi/VW G052 171 Audi/VW G052 178 Audi/VW G052 512 Audi/VW G052 527 A2 Audi/VW G052 532 Audi/VW G052 726 Audi/VW G052 798 Audi/VW G060 726 Audi/VW G070 726 A2 BMW MTF LT-2 BMW MTF LT-3 BMW MTF LT-4 Fiat 9.55550-MZ2 Ford WSS-M2C200-D2 GM 194004 GM 1940764 GM 1940768 Honda MTF Honda MTF 94 Honda MTF-II Honda MTF-III MB 235.10 Nissan MT-XZ TL (JR Typ) Nissan MT-XZ Opel 9163335 PSA 9730 A2/A8 PSA B71 2330 Toyota JWS 227 Tranself NFJ Tranself NFP Tranself TRJ Tranself TRT Tranself TRZ VOLVO 97308 VOLVO 97309
O.S.T. OIL MTF Excellence 75W-80 0094-000829	API GL-4	-	Audi/VW G 009 317 Audi/VW G 052 171 Audi/VW G 052 178 Audi/VW G 055 538 A2 Audi/VW G 052 512 Audi/VW G 052 527 A2 Audi/VW G 052 532 Audi/VW G 052 726 Audi/VW G 052 798 Audi/VW G 060 726 Audi/VW G 070 726 A2 BMW MTF LT-2 BMW MTF LT-3 BMW MTF LT-4 Fiat 9.55550-MZ2 Ford WSS-M2C200-D2 GM 194004 GM 19259104 (BOT 303) GM 1940764 GM 1940768 Honda MTF 94 Honda MTF Honda MTF-II Honda MTF-III MB 235.10 Nissan MT-XZ Nissan MT-XZ TL (JR Typ) Opel 9163335 PSA 9730 A2/A8 PSA B71 2330 Toyota JWS 227 Tranself NFJ Tranself NFP Tranself TRJ Tranself TRT Tranself TRZ VOLVO 97308 VOLVO 97309

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OIL Truck Gear EDI FE 75W-80 RED 0094-000903	API GL-4	-	DTFR 13D110 (235.28) Iveco 18-1807 MSG-1 MAN 341 Typ Z-5 Voith Typ B Volvo 97307 ZF TE-ML 01E/02E/16P
75W-85			
O.S.T. OIL Gear Super Synth. LX 75W-85 GL-5 0094-000216	API GL-5 API MT-1 MIL-L-2105 E SAE J2360	-	BMW 83 22 2 295 532 Honda HGO-1 (08200-9014) MB 235.7 MB 239.71 MB 239.72 MB 235.74 VW TL 52 145-X (G 052 145 A1) VW TL 52 190 (G 052 190 A2, G 055 190 A2) ZF TE-ML 18
75W-90			
O.S.T. OIL Gear Super Synth. 75W-90 GL-5 0094-000205	API GL-5 MIL-L 2105 D SAE J2360	-	DAF LKW DTFR 12B140 (235.8) IVECO Renault LKW SCANIA STO 1:0 VOLVO 97312 VOLVO 97315 ZF TE-ML 17B
O.S.T. OIL Gear Super Synth. 75W-90 GL-4/5 0094-000206	API GL-4/5 MIL-L 2105 D SAE J2360	-	DAF LKW DTFR 12B140 (235.8) IVECO Renault LKW SCANIA STO 1:0 VOLVO 97312 VOLVO 97315 ZF TE-ML 17B
O.S.T. OIL Gear Super Synth. 75W-90 GL-4 0094-000208	API GL-4+	-	DTFR 13B110 (235.11) Ford ESD-M2C175 Opel GM B 040 104 3 VW 501 50
O.S.T. OIL Gear Extra Full Synth. 75W-90 GL-4 0094-000210	API GL-4	-	DTFR 13B110 (235.11) Ford ESD-M2C175 Opel GM B 040 104 3 PSA B71 2315 VW 501 50
O.S.T. OIL Gear Extra Full Synth. LS 75W-90 GL-5 0094-000211	API GL-5 API MT-1 MIL-PRF-2105 E	-	Mack GO-J PG-2 Limited Slip



Getriebeöle

Transmission fluids



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OIL Gear Extra Full Synth. 75W-90 GL-5 0094-000212	API GL-5 MIL-L 2105 D	-	BMW 83 22 940 7 768 BMW OSP BMW SAF-XO BOT 328 BOT 130M BOT 720 DAF LKW DTFR 12B140 (235.8) Renault LKW SCANIA STO 1:0 VOLVO 97312 VOLVO 97315 VOLVO 97317 ZF TE-ML 7A/17B/19B
O.S.T. OIL Gear Super Synth. LS 75W-90 GL-5 0094-000213	API GL-5 MIL-L 2105 D	-	ZF TE-ML 05C/05D
O.S.T. OIL Gear Extra Full Synth. 75W-90 GL 4/5 0094-000219	API GL-4/5 MIL-L 2105 D	-	BMW 83 22 9 407 768 BMW OSP BMW SAF-XO BOT 328 BOT 130M BOT 720 DAF LKW Renault LKW SCANIA STO 1:0 VOLVO 97312 VOLVO 97315 VOLVO 97319 ZF TE-ML 7A/17B/19B
O.S.T. OIL TDL Ultimate 75W-90 0094-000819	API GL-4/GL-5 API MT-1 MIL-PRF-2105 E SAE J2360	DTFR 12B140 (235.8) MAN 341 GA1 MAN 341 Z2 MAN 342 S1 Scania STO 1:1 G ZF TE-ML 02B/05A/12L/12N/16F/ 17B/19C/21A (ZF010792)	Arvin Meritor 076-N DAF DFS 93K219.01 IVECO Mack GO-J MAN 342 Typ M3 Renault SCANIA STO 2:0 A FS VOLVO 97312 ZF TE-ML 07A/12B/13
75W-110			
O.S.T. OIL TDL 75W-110 0094-000687	API GL-4/5 API MT-1 MIL-L-2105 D MIL-PRF-2105 E SAE J2360	-	Arvin Meritor 0-76-M DAF IVECO Mack GO-J SCANIA STO 2:0 A ZF TE-ML 05A/07A/21A/08/19C/16F/12N
75W-140			
O.S.T. OIL Gear Full Synth. Racing LS 75W-140 BLUE 0094-000221	API GL-5 Limited Slip	-	-
O.S.T. OIL Gear Extra Full Synth. LS 75W-140 GL-5 0094-000222	API GL-4/5 MIL-L-2105 C MIL-L-2105 D	-	BMW 83 22 2 282 583 BMW 83 22 1 470 080 BMW MSP/A Castrol SAF-XJ Ford M2C187-A Ford M2C192-A Ford M2C192-A Ford M2C118-A GM 12346140 GM 1942386

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OIL Gear Super Synth. LS 75W-140 GL-5 0094-000438	API GL-5 MIL-L-2105 D	-	ZF TE-ML 05C/07A/08/12D/16G/21C
80W-90			
O.S.T. OIL Gear Super 80W-90 GL-4 0094-000201	API GL-4 API MT-1	-	DTFR 13B170 (235.5) MAN 341 Typ Z1/Z2 ZF TE-ML 02A/17A/02B
O.S.T. OIL Gear Extra 80W-90 GL-5 0094-000202	API GL-5 MIL-L-2105 D NATO O-226 SAE J2360	-	MAN 342 Typ M1/M2 SCANIA STO 1:0 VOLVO 1273.10 ZF TE-ML 05A/07A/12E/16C/17B/19B/21A
O.S.T. OIL Power Gear Long Drain 80W-90 0094-000686	API GL-4/5 MIL-L-2105 D MIL-PRF-2105 E SAE J2360	VOLVO 97321	DTFR 12B100 (235.0) DTFR 12B130 (235.6) Mack GO-J MAN 341 Typ Z2 MAN 342 Typ M1/M2 SCANIA STO 1:0 VOLVO STD 1273.10 ZF TE-ML 05A/07A/08/12E/16B/16C/16D/17B/19B/21A
80W-140			
O.S.T. OIL Gear Super Synth. 80W-140 GL-5 0094-000209	API GL-5 API MT-1 MIL-L 2105 D SAE J2360	-	Mack GO-J SCANIA STO 1:0 ZF TE-ML 05A/7A/21A/16C/12E
85W-90			
O.S.T. OIL Gear Super LS 85W-90 GL-5 0094-000220	API GL-5 MIL-L-2105 D	-	Ford M2C104-A ZF TE-ML 16C/05C/12C/16E
O.S.T. OIL Gear Super LS PLUS 85W-90 GL-5 0094-000715	API GL-5 LS MIL-L-2105 D ASTM D7450	-	Liebherr Cranes MAN 342 Typ N VOLVO 97310 ZF TE-ML 08/16E



Getriebeöle

Transmission fluids



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
--	-----------------------------------	---	---------------------------------

85W-140

O.S.T. OIL Gear Extra 85W-140 0094-000203	API GL-5 MIL-L-2105 D	-	DAF Ford SQM-2C9002-A GM Mack GO-CS 3000B Mack GO-G MAN 342 Typ M1 SCANIA STO 1:0 VOLVO 97310 ZF TE-ML 05A/21A/16D/12E
--	--------------------------	---	---

Einbereichsöle Single grade oils

O.S.T. OIL Mineral SAE 80 GL-4 0094-000199	API GL-4	-	-
O.S.T. OIL Gear Super LS SAE 90 GL-5 0002-000198	API GL-5 MIL-L-2105 D	-	MAN 342 Typ M2 (160.000 km) ZF TE-ML 05A/07A/21A/16B/17B/19B/16C/16D/12E
O.S.T. OIL Gear Super SAE 90 GL-4 0094-000407	API GL-4	-	-
O.S.T. OIL Gear Extra SAE 90 0094-000505	API GL-5 MIL-L-2105 D	-	MAN 342 Typ M2 ZF TE-ML 05A/7A/21A/16B/17B/19B/16C/12E
O.S.T. OIL MTF-3 SAE 75W 0094-000163	API GL-4	-	Honda MTF-3 MB 235.10 Mitsubishi MZ320065 Diaqueen SSTF-I Peugeot/Citroen 9734.S2 VW G 052 171 A2 VW G 052 178 A2 VW G 052 512 A2 VW G 055 726 A2



Öle für Elektromobilität

Auf den folgenden Seiten finden Sie unser umfassendes Sortiment an Hochleistungsölen für Anwendungen in der Elektromobilität. Unsere Spezialöle sind entwickelt für E-Antriebe, Leistungselektronik, Batteriesysteme und thermische Managementsysteme. Sie gewährleisten exzellente Schmierung, optimale Wärmeabfuhr, höchste elektrische Isolation und zuverlässigen Schutz empfindlicher Komponenten.

Oils for Electromobility

On the following pages, you will find our comprehensive range of high-performance oils for applications in electromobility. Our specialized oils are formulated for e-drives, power electronics, battery systems and thermal management systems. They ensure excellent lubrication, optimal heat dissipation, highest electrical insulation and reliable protection of sensitive components.



Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL ePWR TSL 3 Fluid 0094-000967	-	-	ATF Tesla High Performance Tesla Model 3
O.S.T. OIL ePWR MBe Fluid 0094-001004	-	-	MB 236.24
O.S.T. OIL ePWR VWe Fluid 0094-001004	-	-	VW G 052 527





Industrie- und Hydrauliköle

Auf den folgenden Seiten finden Sie unser umfassendes Sortiment an Industrie- und Hydraulikölen. Unsere Hochleistungsöle gewährleisten eine zuverlässige Schmierung und Kraftübertragung in Hydrauliksystemen, Kompressoren, Getrieben und zahlreichen Industrieanwendungen. Sie bieten ausgezeichneten Verschleißschutz, hohe Oxidationsstabilität und ein optimales Viskositäts-Temperatur-Verhalten.

Industrial and Hydraulic Oils

On the following pages, you will find our comprehensive range of industrial and hydraulic oils. Our high-performance oils ensure reliable lubrication and power transmission in hydraulic systems, compressors, gearboxes and numerous industrial applications. They provide excellent wear protection, high oxidation stability and optimal viscosity-temperature behavior.



Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Mineral Hydraulic HLP 10 0094-000236	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 ISO 6743-4 HM ISO 11158 HM SAE MS1004 HM VDMA 24318	-	Bosch Rexroth RE 90220 Danieli Hydraulics Metso Sauer-Danfoss 520L0463
O.S.T. OIL Mineral Hydraulic HLP 15 0094-000237	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HL ISO 6743-4 HM ISO 11158 HM SAE MS1004 HM Swedish Standard SS 155434 VDMA 24318	-	Bosch Rexroth RE 90220 Danieli Hydraulics Metso Sauer-Danfoss 520L0463
O.S.T. OIL Mineral Hydraulic HLP 22 0094-000238	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HM ISO 6743-4 HM ISO 11158 HM SAE MS1004 HM SEB 181 222 Swedish Standard SS 155434 VDMA 24318	-	Bosch Rexroth RE 90220 Danieli Hydraulics Denison HF-0 Denison HF-1 Denison HF-2 GM LH-02-1-04 GM LS-2 Metso Sauer-Danfoss 520L0463
O.S.T. OIL Mineral Hydraulic HLP 32 0094-000239	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HM ISO 11158 HM ISO 6743-4 HM JCMAS HK MIL-PRF-17672E SAE MS1004 HM SEB 181 222 VDMA 24318	-	Atos Bosch Rexroth RE 90220 Danieli Hydraulics Denison HF-0 Denison HF-1 Denison HF-2 Eaton/Sperry Vickers I-286-S Eaton/Sperry Vickers M-2950-S Fives Cincinnati P-38/P-68 GM LH-02-1-04 GM LS-2 Metso Müller Weingarten Sauer-Danfoss 520L0463 US Steel 126 US Steel 127 US Steel 136 Voith Turbo (HLP 32)
O.S.T. OIL Mineral Hydraulic HLP 46 0094-000312	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HM ISO 11158 HM ISO 6743-4 HM JCMAS HK MIL-PRF-17672E NATO H-573 SAE MS1004 HM SEB 181 222 VDMA 24318	-	Arburg Atos Bosch Rexroth RE 90220 Danieli Hydraulics Denison HF-0 Denison HF-1 Denison HF-2 Eaton/Sperry Vickers I-286-S Eaton/Sperry Vickers M-2950-S Fives Cincinnati P-55/P-70 GM LH-02-1-04 GM LS-2 Metso Müller Weingarten Sauer-Danfoss 520L0463 US Steel 126 US Steel 127 US Steel 136 ZF TE-ML 07H

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL 68 HYDRO HLP ISO 68 0094-000240	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HM ISO 11158 HM ISO 6743-4 HM MIL-PRF-17672E SAE MS1004 HM SEB 181 222 Swedish Standard SS 155434 VDMA 24318	-	Atos Bosch Rexroth RE 90220 Danieli Hydraulics Denison HF-0 Denison HF-1 Denison HF-2 Eaton/Sperry Vickers I-286-S Eaton/Sperry Vickers M-2950-S Fives Cincinnati P-55/P-70 GM LS-2 GM LH-06-1-04 Metso Müller Weingarten Sauer-Danfoss 520L0463 US Steel 126 US Steel 127 US Steel 136 ZF TE-ML 07H
O.S.T. OIL Mineral Hydraulic HLP 100 0094-000231	AFNOR NF E 48-603 HM ASTM D6158 CETOP RP 91H HM DIN 51524-2 GB 111118.1 L-HM ISO 11158 HM ISO 6743-4 HM SAE MS1004 HM SEB 181 222 Swedish Standard SS 155434 VDMA 24318	-	Bosch Rexroth RE 90220 Danieli Hydraulics Denison HF-0 Denison HF-1 Denison HF-2 Sauer-Danfoss 520L0463
O.S.T. OIL Mineral Hydraulic HLP 150 0094-000232	AFNOR NF E 48-603 HM ASTM D6158 DIN 51524-2 GB 111118.1 L-HM ISO 6743-4 HM ISO 11158 HM SAE MS1004 HM VDMA 24318	-	Bosch Rexroth RE 90220 Fives Cincinnati P-57 Sauer-Danfoss 520L0463
O.S.T. OIL Hydraulic HVLP 15 0094-000241	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H HV DIN 51524-3 HVLP GB 111118.1 L-HV ISO 11158 HVISO 6743-4 HV SAE MS1004	-	Bosch Rexroth RE90220 Sauer-Danfoss 520L0463
O.S.T. OIL Hydraulic HVLP 22 0094-000242	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 HVLP ISO 6743/4-HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Eaton/Sperry Vickers 1-286-S Eaton/Sperry Vickers M-2950-S US Steel 127 US Steel 136
O.S.T. OIL Hydraulic HVLP 32 0094-000243	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H HV DIN 51524-3 HVLP GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV JCMAS HK VG32W SAE MS1004	-	Bosch Rexroth RE90220 Denison HF-0 Denison HF-1 Denison HF-2 Eaton/Sperry Vickers I-286-S Eaton/Sperry Vickers M-2950-S Fives Cincinnati P-68 GM LH-03-1-04 GM LS-2 Sauer-Danfoss 520L0463 US Steel 127 US Steel 136



Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Hydraulic HVLP 46 0094-000244	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H HV DIN 51524-3 HVLP GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV JCMAS HK VG32W SAE MS1004	-	Bosch Rexroth RE90220 Denison HF-0 Denison HF-1 Denison HF-2 Eaton/Sperry Vickers I-286-S Eaton/Sperry Vickers M-2950-S Fives Cincinnati P-68 GM LH-03-1-04 GM LS-2 Sauer-Danfoss 520L0463 US Steel 127 US Steel 136
O.S.T. OIL Hydraulic HVLP 68 0094-000245	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 HVLP ISO 6743/4-HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Eaton/Sperry Vickers 1-286-S Eaton/Sperry Vickers M-2950-S US Steel 127 US Steel 136
O.S.T. OIL Hydraulic HVLP 100 0094-000448	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 HVLP ISO 6743/4-HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Eaton/Sperry Vickers 1-286-S Eaton/Sperry Vickers M-2950-S US Steel 127 US Steel 136
O.S.T. OIL HLP AF 22 0094-000223	DIN 51524-2 SEB 181 222	-	Müller Weingarten Thyssen TH-N256-142 US Steel 127 US Steel 136
O.S.T. OIL HLP AF 32 0094-000224	AFNOR NF E 48-603 HM ASTM D6158 DIN 51524-2 GB 111118.1 L-HM ISO 11158 ISO 6743-4 HM SAE MS1004 HM SEB 181 222	-	Denison HF-0 Denison HF-1 Denison HF-2 Eaton/Sperry Vickers I-286-S Eaton/Sperry Vickers M-2950-S Fives Cincinnati P-38 Fives Cincinnati P-68 GM LH-03-1-04 Müller Weingarten Thyssen TH-N256-142 US Steel 127 US Steel 136
O.S.T. OIL HLP AF 46 0094-000225	DIN 51524-2 SEB 181 222	-	Müller Weingarten Thyssen TH-N256-142 US Steel 127 US Steel 136
O.S.T. OIL HLP AF 68 0094-000226	DIN 51524-2 SEB 181 222	-	Müller Weingarten Thyssen TH-N256-142 US Steel 127 US Steel 136
O.S.T. OIL Hydraulic HVLP AF 22 0094-000227	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H-HV DIN 51524-3 GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV SAE MS1004	-	Bosch Rexroth RE 90220 Denison HF-0 Denison HF-1 Denison HF-2 GM LH-02-1-04 GM LS-2 Sauer-Danfoss 520L0463

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Hydraulic HVLP AF 32 0094-000228	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H-HV GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV JCMAS HK VG32W SAE MS1004	-	Bosch Rexroth RE 90220 Denison HF-0 Denison HF-1 Denison HF-2 Eaton/Sperry Vickers I-286-S Eaton/Sperry Vickers M-2950-S Fives Cincinnati P-68 GM LH-03-1-04 GM LS-2 Sauer-Danfoss 520L0463 US Steel 126 US Steel 127 US Steel 136
O.S.T. OIL Hydraulic HVLP AF 46 0094-000229	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 ISO 6743-4 HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Eaton/Sperry Vickers M-2950-S Eaton/Sperry Vickers 1-286-S US Steel 127 US Steel 136
O.S.T. OIL Hydraulic HVLP AF 68 0094-000230	AFNOR 48 603 HV CETOP RP 91H-HV ISO 6743-4 HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Eaton/Sperry Vickers 1-286-S Eaton/Sperry Vickers M-2950-S US Steel 127 US Steel 136
O.S.T. OIL High VI HVLP 22 0094-000886	AFNOR NFE 48-603 HV AFNOR NFE 48-690/1 CETOP RP 91H HV DIN 51524-3 GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV SAE MS1004	-	Bosch Rexroth RE 90220 Denison HF-0 Denison HF-1 Denison HF-2 GM LH-02-1-04 GM LS-2 Sauer-Danfoss 520L0463
O.S.T. OIL High VI HVLP 32 0094-000887	AFNOR NF E 48-603 HV AFNOR NF E 48-690/1 CETOP RP 91H HV DIN 51524-3 GB 111118.1 L-HV ISO 11158 HV ISO 6743-4 HV JCMAS HK VG32W SAE MS1004	-	Bosch Rexroth RE 90220 Denison HF-0 Denison HF-1 Denison HF-2 Eaton/Sperry Vickers I-286-S Eaton/Sperry Vickers M-2950-S Fives Cincinnati P-68 GM LH-03-1-04 GM LS-2 Sauer-Danfoss 520L0463 US Steel 127 US Steel 136
O.S.T. OIL High VI HVLP 46 0094-000615	AFNOR 48 603 CETOP RP 91H HV DIN 51524-3 ISO 6743/4-HV Sauer Danfoss 520L0463	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 Sperry Vickers 1-286-S Sperry Vickers M-2950-S US Steel 127 US Steel 136
O.S.T. OIL High VI HVLP 68 0094-000889	AFNOR 48 603 CETOP RP 91H HV DIN 51524-3 ISO 6743-4 HV SAE MS1004	-	Denison HF-0 Denison HF-1 Denison HF-2 Eaton/Sperry Vickers M-2950-S Eaton/Sperry Vickers 1-286-S GM LH-04-1 GM LH-06-1 GM LH-15-1
O.S.T. OIL HLPD 10 0094-000246	DIN 51524-2	-	Daimler Chrysler DBL 6721



Industrie- und Hydrauliköle

Industrial and hydraulic fluids



Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OIL HLPD 15 0094-000247	DIN 51524-2* ISO 6743-4 HM*	-	Daimler Chrysler DBL 6721
O.S.T. OIL HLPD 22 0094-000248	DIN 51524-2	-	Daimler Chrysler DBL 6721
O.S.T. OIL HLPD 32 0094-000249	AFNOR NF E 48-603 HM* ASTM D6158* DIN 51524-2 HM* ISO 11158 HM* ISO 6743-4 HM* JCMAS HK* SAE MS1004 HM* SEB 181 222* VDMA 24318*	-	Daimler Chrysler DBL 6721 MAN N 698 Müller Weingarten US Steel 127 US Steel 136*
O.S.T. OIL HLPD 46 0094-000250	DIN 51524-2	-	Daimler Chrysler DBL 6721
O.S.T. OIL HLPD 68 0094-000251	DIN 51524-2	-	Daimler Chrysler DBL 6721 MAN N 698
O.S.T. OIL HLPD 100 0094-000252	DIN 51524-2	-	Daimler Chrysler DBL 6721
O.S.T. OIL HVLPD 32 0094-000253	AFNOR 48-603 AFNOR 48-690/1 CETOP RP 91H (HV) DIN 51524-3 ISO 11158 HV ISO 6743-4	-	-
O.S.T. OIL HVLPD 46 0094-000254	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 ISO 6743/4-HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Eaton/Sperry Vickers 1-286-S Eaton/Sperry Vickers M-2950-S US Steel 136
O.S.T. OIL HVLPD 68 0094-000255	AFNOR 48 603 HV CETOP RP 91H-HV DIN 51524-3 ISO 6743/4-HV	-	Denison HF-0 Denison HF-1 Denison HF-2 GM LH-04-1 GM LH-06-1 GM LH-15-1 Eaton/Sperry Vickers 1-286-S Eaton/Sperry Vickers M-2950-S US Steel 136

*außer Demulgierbarkeit *except demulsibility

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL HFDU 46 0094-001026	DIN 51524-1/-2/-3 (Dry ISO 4263-1) ISO 12922 HFDU ISO 6743/4 HFDU JCMAS P042 HKB Swedish Standard SS 155434 (Dry ASTM D94) VDMA 24568/24570	-	Denison HF-1/HF-2/HF-6 (Dry ASTM D4310) Eaton Brochure 03-401-2010 (Dry ASTM D943) US Vessel General Permit (VGP) USDA Biopreferred®
O.S.T. OIL CLP 32 0094-000292	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL CLP 46 0094-000293	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL CLP 68 0094-000294	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL CLP 100 0094-000295	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL CLP 150 0094-000296	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL CLP 220 0094-000297	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL CLP 320 0094-000298	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL CLP 460 0094-000299	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL CLP 680 0094-000302	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200



Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL CLP 220 VCI 0094-000276	AGMA 9005-D94	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL FS PAO CLP 68 0094-000286	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL FS PAO CLP 100 0094-000287	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL FS PAO CLP 150 0094-000288	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL FS PAO CLP 220 0094-000289	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL FS PAO CLP 320 0094-000290	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL FS PAO CLP 460 0094-000291	AGMA 9005-D94 DIN 51517-3	-	Cincinnati Milacron Clean Panel Coker US Steel 224 US Steel S-200
O.S.T. OIL CGLP ISO 32 0094-000264	AFNOR E 60-203 L-G/HG DIN 51502 CGLP DIN 51517-3 CLP GB 11118.1-94 L-HM ISO 11158 HG/HM ISO 19378 GA/GB ISO 6743-13 GA/GB ISO 6743-6 CKC SAE MS 1007 Typ E SH/T 0361-98 L-G	-	Fives Cincinnati P-53 GM LS-2 GM LW-03-1-04
O.S.T. OIL CGLP ISO 46 0094-000265	AFNOR E 60-203 L-G DIN 51502 CGLP DIN 51517-3 CLP DIN 51524-2 HLP GB 11118.1-94 L-HM ISO 11158 HM ISO 6743-6 CKC SAE MS 1007 Typ E SH/T 0361-98 L-G	-	Eaton/Sperry Vickers M-2950-S

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL CGLP ISO 68 0094-000266	AFNOR E 60-203 L-G/HG DIN 51502 CGLP DIN 51517-3 CLP DIN 51524-2 HLP GB 11118.1-94 L-HG/HM MIL-A-A-59113 Typ I ISO 11158 HG/HM ISO 19378 GA/GB ISO 6743-13 GA/GB ISO 6743-6 CKC SAE MS 1007 Typ E SH/T 0361-98 L-G	-	Eaton /Sperry Vickers M-2950-S Fives Cincinnati P-53 GM LS-2 GM LW-03-1-04
O.S.T. OIL CGLP ISO 150 0094-000267	AFNOR E 60-203 L-G DIN 51502 CGLP DIN 51517-3 CLP DIN 51524-2 HLP GB 11118.1-94 L-HM ISO 11158 HM ISO 6743-6 CKC SAE MS 1007 Typ E SH/T 0361-98 L-G	-	-
O.S.T. OIL CGLP ISO 220 0094-000268	AFNOR E 60-203 L-G DIN 51502 CGLP DIN 51517-3 ISO 19378 GA/GB ISO 6743-13 GA/GB ISO 6743-6 CKC MIL-A-A-59113 Typ II SAE MS 1007 Typ E SH/T 0361-98 L-G	-	Fives Cincinnati P-53 GM LS-2 GM LW-03-1-04
O.S.T. OIL Circulating Oil CL 150 0094-000272	DIN 51517-2	-	-
O.S.T. OIL Circulating Oil CL 220 0094-000271	DIN 51517-2	-	-
O.S.T. OIL Circulating Oil CL 320 0094-000269	DIN 51517-2	-	-
O.S.T. OIL Circulating Oil CL 460 0094-000270	DIN 51517-2	-	-
O.S.T. OIL Circulating Oil CL 680 0094-000273	DIN 51517-2	-	-



Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Compressor Oil VDL 32 0094-000277	AFNOR NF E 48-603 HL DIN 51506 DIN 51517-2 CL DIN 51524-1 HL GB111118.1-2011 L-HL ISO 11158 HL ISO/DP 6521 (DAA, DAB, DAG, DAH)	-	ALMiG Compressors ALUP ATLAS COPCO Atmos Chrást Chicago Pneumatics CompAir Fives Cincinnati P-38 Gardner & Denver Kaeser Compressors Quincy Compressors
O.S.T. OIL Compressor Oil VDL 46 0094-000278	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
O.S.T. OIL Compressor Oil VDL 68 0094-000279	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	-
O.S.T. OIL Compressor Oil VDL 100 0094-000280	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	-
O.S.T. OIL Compressor Oil VDL 150 0094-000281	AFNOR NF E 48-603 HL DIN 51524-1 DIN 51506 (VBL, VCL, VDL) DIN 51517-2 CL GB111118.1-2011 L-HL ISO 11158 HL ISO/DP 6521 (DAA, DAB, DAH, DAG) SEB 181225	-	BAUER Compressors Champion Air Compressors Fiac Fini Compressors Fives Cincinnati P-57 Ingersoll Rand Kaeser Compressors Quincy Compressors
O.S.T. OIL Compressor Oil VDL 220 0094-000282	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
O.S.T. OIL Compressor Oil VDL 320 0094-000283	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
O.S.T. OIL Compressor Oil VDL 460 0094-000284	DIN 51506 (VBL, VCL, VDL) ISO/DP 6521 (DAA, DAB, DAH, DAG)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
O.S.T. OIL PAO Compressor Oil 32 0094-000464	-	-	ALUP ATLAS COPCO GA xx Audi CompAir Fiac Fini Kaeser

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL PAO Compressor Oil 46 0094-000516	-	-	ALUP ATLAS COPCO GA xx Audi CompAir Fiac Fini Kaeser
O.S.T. OIL PAO Compressor Oil 68 0094-000519	DIN 51506 (VBL, VCL, VDL)	-	ALUP ATLAS COPCO GA xx Audi CompAir Fiac Fini Kaeser
O.S.T. OIL PAO Compressor Oil 100 0094-000520	DIN 51506 (VBL, VCL, VDL)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
O.S.T. OIL PAO Compressor Oil 150 0094-000521	DIN 51506 (VBL, VCL, VDL)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
O.S.T. OIL PAO Compressor Oil 220 0094-000522	DIN 51506 (VBL, VCL, VDL)	-	ALUP ATLAS COPCO Audi CompAir Fiac Fini Kaeser
O.S.T. OIL Hydraulic HEES 46 0094-000454	DIN 51524-1 DIN 51524-2 DIN 51524-3 ISO 12922 HFDU JCMAS P042 HKB Swedish Standard SS 155434 VDMA 24568 VDMA 24570	-	Denison HF-1 Denison HF-2 Denison HF-6 Eaton Brochure 03-401-2010 US Vessel General Permit (VGP) USDA Biopreferred®
O.S.T. OIL Heating Oil WT 10 0094-000275	-	-	-
O.S.T. OIL Heating Oil WT 32 0094-000285	Wärmeträgeröl Q 32 nach DIN 51502 Wärmeträgeröl Q 32 nach DIN 51522	-	-
O.S.T. OIL Heating Oil WT 46 0094-000527	Wärmeträgeröl Q 46 nach DIN 51502	-	-
O.S.T. OIL Heating Oil WT 68 0094-000274	-	-	-



Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Turboflo TU 32 0094-000300	British Standard BS 489 CEGB Standard 207001 DIN 51515-1 (L-TD) DIN 51515-2 (L-TG) MIL-L-17672 D	-	Alstom HTGD 90117 V0001 S Brown Boveri HTGD 90117 General Electric GEK 32568 A/C Siemens 901305 Siemens TLV 9013 04/01 Solar ES 9 224 Classe II (ISO VG 32) US Steel 120 Westinghouse Electric Corp. Turbine Oil Spec.
O.S.T. OIL Turboflo TU 46 0094-000301	British Standard BS 489 CEGB Standard 207001 DIN 51515-1 (L-TD) DIN 51515-2 (L-TG) MIL-L-17672 D	-	Alstom HTGD 90117 V0001 S Brown Boveri HTGD 90117 General Electric GEK 32568 A/C Siemens 901305 Siemens TLV 9013 04/01 Solar ES 9 224 Classe II (ISO VG 32) US Steel 120 Westinghouse Electric Corp. Turbine Oil Spec.
O.S.T. OIL Turboflo TU 68 0094-000303	British Standard BS 489 CEGB Standard 207001 DIN 51515-1 (L-TD) DIN 51515-2 (L-TG) MIL-L-17672 D	-	Alstom HTGD 90117 V0001 S Brown Boveri HTGD 90117 General Electric GEK 32568 A/C Siemens 901305 Siemens TLV 9013 04/01 Solar ES 9 224 Classe II (ISO VG 32) US Steel 120 Westinghouse Electric Corp. Turbine Oil Spec.
O.S.T. OIL Vakuumpumpenöl 100 0094-000446	AFNOR NF E 48-603 (HM, HV) DIN 51506 VC DIN 51524-2 ISO 6743-3 DVA/DVC	-	Vickers Vane Pump
O.S.T. OIL Gear Ultimate FLD 150 0094-000981	DIN 51517-1 DIN 51517-2 DIN 51517-3 ISO 12925-1 CKC ISO 12925-1 CKD	Flender AS7300 (ADLA23- 2025931014) Sumitomo PARAMAX® Sumitomo series HP1 HP2 HPP P4 M4ACC M5CT	AGMA 9005-F16 AS Chinese GB 5903 L-CKC/L-CKD Danieli 0.000.001 CKC David Brown S1.53.101 Type E Fives Cincinatti EP Gear OilLubricants GE D50E35 GM LS 2 EP Indian Standard IS 840 Renk ZAN 36011 Schaeffler Step 1 to 4 Schuler Pressen DT 55055 01.2 SMS Group SN180-3 Sumitomo Drive Technologies BUI-TEC-2009-4-001 U.S. Steel 224 ZF Industrieantriebe Witten ZN-W-17-145 / TE-ML 27 ZF TE-ML 04H

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Gear Ultimate FLD 220 0094-000982	DIN 51517-1 DIN 51517-2 DIN 51517-3 ISO 12925-1 CKC ISO 12925-1 CKD	Flender AS7300 (ADLA23-2025931014) Sumitomo PARAMAX® Sumitomo series HP1 HP2 HPP P4 M4ACC M5CT	AGMA 9005-F16 AS Chinese GB 5903 L-CKC/L-CKD Danieli 0.000.001 CKC David Brown S1.53.101 Type E Fives Cincinnati EP Gear OilLubricants Flender AS7300 GE D50E35 GM LS 2 EP Indian Standard IS 840 Renk ZAN 36011 Schaeffler Step 1 to 4 Schuler Pressen DT 55055 01.2 SMS Group SN180-3 Sumitomo Drive Technologies BUI-TEC-2009-4-001 U.S. Steel 224 ZF Industrieantriebe Witten ZN-W-17-145 / TE-ML 27 ZF TE-ML 04H
O.S.T. OIL Gear Ultimate FLD 320 0094-000983	DIN 51517-1 DIN 51517-2 DIN 51517-3 ISO 12925-1 CKC ISO 12925-1 CKD ISO 12925-1 CKSMP	Flender AS7300 (ADLA23-2025931014) Sumitomo PARAMAX® Sumitomo series HP1 HP2 HPP P4 M4ACC M5CT	AGMA 9005-F16 AS Chinese GB 5903 L-CKC/L-CKD Danieli 0.000.001 CKC David Brown S1.53.101 Type E Fives Cincinnati EP Gear OilLubricants Flender AS7300 GE D50E35 GM LS 2 EP Indian Standard IS 840 Renk ZAN 36011 Schaeffler Step 1 to 4 Schuler Pressen DT 55055 01.2 SMS Group SN180-3 Sumitomo Drive Technologies BUI-TEC-2009-4-001 U.S. Steel 224 ZF Industrieantriebe Witten ZN-W-17-145 / TE-ML 27 ZF TE-ML 04H
O.S.T. OIL Gear Ultimate FLD 460 0094-001122	DIN 51517-1 DIN 51517-2 DIN 51517-3 ISO 12925-1 CKC ISO 12925-1 CKD ISO 12925-1 CKSMP	Flender AS7300 (ADLA23-2025931014) Sumitomo PARAMAX® Sumitomo series HP1 HP2 HPP P4 M4ACC M5CT	AGMA 9005-F16 AS Chinese GB 5903 L-CKC/L-CKD Danieli 0.000.001 CKC David Brown S1.53.101 Type E Fives Cincinnati EP Gear OilLubricants Flender AS7300 GE D50E35 GM LS 2 EP Indian Standard IS 840 Renk ZAN 36011 Schaeffler Step 1 to 4 Schuler Pressen DT 55055 01.2 SMS Group SN180-3 Sumitomo Drive Technologies BUI-TEC-2009-4-001 U.S. Steel 224 ZF Industrieantriebe Witten ZN-W-17-145 / TE-ML 27 ZF TE-ML 04H
O.S.T. OIL Gear Ultimate FLD 680 0094-001123	DIN 51517-1 DIN 51517-2 DIN 51517-3 ISO 12925-1 CKC ISO 12925-1 CKD ISO 12925-1 CKSMP	Flender AS7300 (ADLA23-2025931014)	AGMA 9005-F16 AS Chinese GB 5903 L-CKC/L-CKD Danieli 0.000.001 CKC David Brown S1.53.101 Type E Fives Cincinnati EP Gear OilLubricants GE D50E35 GM LS 2 EP Indian Standard IS 8406 Renk ZAN 36011 Schaeffler Step 1 to 4 Schuler Pressen DT 55055 01.2 SMS Group SN180-3 Sumitomo Drive Technologies BUI-TEC-2009-4-001 U.S. Steel 224 ZF TE-ML 04H ZF TE-ML 27





O.S.T. Oil

Oil System Technology

Landmaschinen und Zwei- und Viertaktöle

Auf den folgenden Seiten finden Sie unser umfassendes Sortiment an Schmierstoffen für Landmaschinen sowie an hochwertigen Zwei- und Viertaktölen. Unsere Produkte gewährleisten eine zuverlässige Schmierung und optimalen Schutz - auch unter härtesten Einsatzbedingungen.

Agricultural Machinery and Two- and Four-Stroke Oils

On the following pages, you will find our comprehensive range of lubricants for agricultural machinery as well as premium two-stroke and four-stroke oils. Our products ensure reliable lubrication and optimal protection - even under the toughest operating conditions.

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
Landmaschinenöle <i>Agricultural machinery oils</i>			
O.S.T. OIL UTTO 0094-000116	API GL-4 DIN 51524-3 (HVLP-D)	ZF TE-ML 03E/17E/05F/21F	Allison C-4 Caterpillar TO-2 CNH MAT 3506/3525 CNH 410 B CNH MS 1206/1210 Deutz-Allis AC Power Fluid 821 XL FNHA 2-C-200.00 Ford ESN-M2C86-B/C Ford ESN-M2C134-D John Deere J20 C/J21 A Massey Ferguson CMS M1135/M1141/M1143/M1145 Renault 180596 SDFG OT 1891 A VOLVO BM WB 101 (BM Valmet, AWB Achsen) White Farm (AGCO) Q-1802 White Farm (AGCO) Q-182616 ZF TE-ML 06K/06R/06S
O.S.T. OIL UTTO CVT 0094-000751	API GL-4 SAE 80W	-	Allison C-4 ARGO VT-DRIVE Case ICH CVXDrive Caterpillar TO-2 CNH 410 B CNH MAT 3540/3525/3505/ 3552-A CNH MS 1206/1207/1209 Deutz-Fahr (SDF) T5400 CVT and T3500 CVT Eaton/Sperry Vickers I-280-S Eaton/Sperry Vickers M-2950-S Fendt Vario CVT Transmissions Ford ESN-M2C86-C Ford ESN-M2C134-D John Deere J20 C (AutoPowr/eAutoPowr IVT Trans) Kubota UDT Massey Ferguson CMS M1141/M1143/M1145 New Holland CVT Sauer Sunstrand/Danfoss (Hydrostatic trans fluid) Valtra G2-08 VDS CVT Getriebe VOLVO WB 101 ZF TE-ML 03E/06E/17E/05F/06F/21F/06K
O.S.T. OIL UTTO 520 0094-000757	API GL-4 SAE 5W-20 SAE 75W	-	Allison C-4 Caterpillar TO-2 CNH MS 1207 CNH 410 C CNH MAT 3540 John Deere J20 D Massey Ferguson CMS M1141/M1143/M1145 VOLVO WB 102 ZF TE-ML 03E/06E/17E/05F/06F/21F/06K
O.S.T. OIL UTTO G3 0094-000848	API GL-4 DIN 51524-3 (HVLP-D)	-	Allison C-4 Caterpillar TO-2 CNH MAT 3506/3525 CNH MS 1206/1210 CNH 410 B Deutz-Allis AC Power Fluid 821 XL FNHA 2-C-200.00 Ford ESN-M2C86-B/-C Ford ESN-M2C134-D John Deere J20 C John Deere J21 A Massey Ferguson CMS M1135/M1141/M1143/M1145 Renault 180596 SDFG OT 1891 A VOLVO BM WB 101 (BM Valmet, AWB Achsen) White Farm (AGCO) Q-1802/Q-182616 ZF TE-ML 03E/05F/06K/06R/06S/17E/21F



Landmaschinen-, 2- und 4-Taktöle

Agricultural machinery, 2- and 4-stroke engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OILSTOU 5W-30 0094-000536	API GL-4 API CG-4/SF ACEA E2 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 DTFR 15B110 (228.3) Ford ESN-M2C159-B John Deere J27 MAN 270 Massey Ferguson CMS M1139/M1144/M1145 MB 227.1 MB 228.1 ZF TE ML 06A/06B/07B/06C/06D
O.S.T. OIL STOU 10W-30 0094-000115	API GL-4 API CG-4/SF ACEA E2/E3 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 DTFR 15B110 (228.3) Ford ESN-M2C159-B John Deere J27 MAN 270 Massey Ferguson CMS M1139/M1144/M1145 MB 227.1 MB 228.1 ZF TE-ML 06A/06B/07B/06D
O.S.T. OIL STOU 10W-40 0094-000122	API GL-4 API CG-4/SF ACEA E3 DIN 51524-3 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 CNH 410B CNH MAT 3525 DTFR 15B110 (228.3) Fendt KDM 41.2011 Ford ESN-M2C134-B/-C/-D Ford ESN-M2C159-B/-C John Deere J20 C/D John Deere J27 MAN 271 Massey Ferguson CMS M1139/M1144/M1145 MB 227.1 MB 228.1 ZF TE-ML 06A/06B/07B/06C/06D/06F
O.S.T. OIL STOU 15W-40 0094-000117	API GL-4 API SF/CF/CG-4 ACEA E2 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 DTFR 15B110 (228.3) Ford ESN-M2C159-B John Deere J27 MAN 271 Massey Ferguson CMS M1139/M1144/M1145 MB 227.1 MB 228.1 ZF TE-ML 06A/06B/07B/06C/06D
O.S.T. OIL STOU 20W-40 0094-000354	API GL-4 API CG-4/SF ACEA E3 MIL-L-2104 D	-	Allison C-4 Caterpillar TO-2 DTFR 15B110 (228.3) Fendt KDM 41.2011 Ford ESN-M2C159-B/-C John Deere J27 MAN 271 Massey Ferguson CMS 1139/1144 MB 227.1 MB 228.1 ZF TE ML 06A/06B/07B/06C/06D
O.S.T. OIL TO-2 Fluid 30 0094-000524	API CF/SF MIL-L-2104 E	-	Allison C-4 Caterpillar TO-2 MB 227.0
O.S.T. OIL TO-2 Fluid 40 0094-000525	API CF/SF MIL-L-2104 E	-	Allison C-4 Caterpillar TO-2 MB 227.0
O.S.T. OIL TO-2 Fluid 50 0094-000526	API CF/SF MIL-L-2104 E	-	Allison C-4 Caterpillar TO-2 MB 227.0

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OIL TO-2 Fluid 10W 0094-000523	API CF/SF MIL-L-2104 E	-	Allison C-4 Caterpillar TO-2 MB 227.0
O.S.T. OIL TO-4 SAE 30 0094-000119	API CF API MT-1	-	Allison C-4 Caterpillar TO-4M Caterpillar FD-1 Komatsu KES 07.868.1 (2002) ZF TE-ML-03C/07F
O.S.T. OIL TO-4 SAE 40 0094-000114	API CF API MT-1	-	Allison C-4 Caterpillar TO-4M Caterpillar FD-1 Komatsu KES 07.868.1 (2002) ZF TE-ML-03C
O.S.T. OIL TO-4 SAE 50 0094-000120	API CF API MT-1	-	Allison C-4 Caterpillar TO-4M Caterpillar FD-1 Komatsu KES 07.868.1 (2002) ZF TE-ML-03C
O.S.T. OIL TO-4 SAE 60 0094-000121	API CF API MT-1	-	Allison C-4 Caterpillar TO-4M Caterpillar FD-1 Komatsu KES 07.868.1 (2002) ZF TE-ML-03C
2-Taktöle 2-stroke engine oils			
O.S.T. OIL Selfmix 2-stroke engine COLORLESS 0094-000139	API TC ISO-L-EGB JASO FB	-	-
O.S.T. OIL Semi Synth. 2-stroke engine COLORLESS 0094-000141	API TC ISO-L-EGD JASO FD	-	-
O.S.T. OIL Semi Synth. 2-stroke engine RED 0094-000142	API TC ISO-L-EGD JASO FD	-	-
O.S.T. OIL FS 2-stroke engine COLORLESS 0094-000143	API TC ISO-L-EGD JASO FD	-	Husqvarna Piaggio Hexagon Rotax Stihl



Landmaschinen-, 2- und 4-Taktöle

Agricultural machinery, 2- and 4-stroke engine oils

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OIL FS 2-stroke engine RED 0094-000369	API TC ISO-L-EGD JASO FD	-	Husqvarna Piaggio Hexagon Rotax Stihl
4-Taktöle 4-stroke engine oils			
O.S.T. OIL MBike 5W-30 0094-000807	API SN JASO MA2	-	-
O.S.T. OIL MBike 5W-40 0094-000808	API SN JASO MA2	-	-
O.S.T. OIL MBike 10W-30 0094-000708	API SN JASO MA2	-	-
O.S.T. OIL MBike J-MB 10W-30 0094-001028	JASO MB	-	-
O.S.T. OIL MBike 10W-40 0094-000709	API SN JASO MA2	-	-
O.S.T. OIL MBike LTD J-MB 10W-40 0094-001078	JASO MB	-	-
O.S.T. OIL MBike 10W-50 0094-000809	API SN JASO MA2	-	-
O.S.T. OIL MBike 10W-60 0094-000810	API SN JASO MA2	-	-
O.S.T. OIL MBike 15W-40 0094-000710	API SN JASO MA2	-	-
O.S.T. OIL MBike 15W-50 0094-000811	API SN JASO MA2	-	-

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OIL MBike 20W-40 0094-000711	API SN JASO MA2	-	-
O.S.T. OIL MBike 20W-50 0094-000712	API SN JASO MA2	-	-
O.S.T. OIL MotorCycle 4 Stroke FS Racing 5W-50 0094-000366	API SL JASO MA2	-	-
O.S.T. OIL LTD MotorCycle 4 Stroke 10W-50 0094-001075	API SL JASO MA2	-	Aprilia BMW Ducati Honda Kawasaki Moto-Guzzi Suzuki Triumph Yamaha
O.S.T. OIL MotorCycle 4 Stroke 10W-60 0094-000136	API SL JASO MA/MA2	-	-
O.S.T. OIL Outboard 4T Mineral 10W-30 0094-000621	API SL NMMA FC-W	-	-
O.S.T. OIL Outboard 4T Mineral 10W-40 0094-000619	NMMA FC-W	-	-
O.S.T. OIL Outboard 4T Mineral 10W-40 BLUE 0094-000626	API SM NMMA FC-W	-	Honda Johnson/Evinrude Mercury/Verado Suzuki Tohatsu/Nissan Yamaha
O.S.T. OIL Outboard 4T Mineral 15W-40 0094-000623	API SL NMMA FC-W	-	-





Marineöle

Auf den folgenden Seiten finden Sie unser umfassendes Sortiment an Schmierstoffen für den Marinebereich. Unsere Marineöle gewährleisten eine zuverlässige Schmierung und einen optimalen Schutz - auch unter extremen Belastungen, salzhaltiger Umgebung und langen Betriebszeiten.

Marine Oils

On the following pages, you will find our comprehensive range of lubricants for marine applications. Our marine oils ensure reliable lubrication and optimal protection - even under extreme loads, in salt-water environments and during long operating periods.

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Marine 830 0094-000390	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
O.S.T. OIL Marine 840 0094-000401	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
O.S.T. OIL Marine 1240 0094-000388	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
O.S.T. OIL Marine 1230 0094-000389	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
O.S.T. OIL Marine 1630 0094-000408	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
O.S.T. OIL Marine 1640 0094-000376	API CF DEF STAN 91-22/2 MIL-L-2104 C	-	-
O.S.T. OIL Marine MCL 4050 0094-000378	-	-	MAN Wärtsilä
O.S.T. OIL Marine MCL 5040 0094-000379	-	-	MAN Wärtsilä
O.S.T. OIL Marine MCL 5050 0094-000380	-	-	MAN Wärtsilä
O.S.T. OIL Marine MCL 5540 0094-000381	-	-	MAN Wärtsilä



Marineöle

Marine oils

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Marine MCL 5550 0094-000382	-	-	MAN Wärtsilä
O.S.T. OIL Marine MCL 7040 0094-000383	-	-	MAN Wärtsilä
O.S.T. OIL Marine MCL 7050 0094-000384	-	-	MAN Wärtsilä
O.S.T. OIL Marine MCL 8040 0094-000385	-	-	MAN Wärtsilä
O.S.T. OIL Marine MCL 8050 0094-000153	-	-	Wärtsilä
O.S.T. OIL Marine MCL 10040 0094-000386	-	-	MAN Wärtsilä
O.S.T. OIL Marine MCL 10050 0094-000387	-	-	MAN Wärtsilä



Weitere Produkte aus dem Ölsegment

Unser Ölsegment umfasst ein breites Spektrum an Spezialprodukten für unterschiedliche Anwendungen und Anforderungen. Dazu gehören unter anderem PDK Fluid, PSF Fluid Zentralhydraulikfluid Green sowie Oil Break-In SAE 30. Diese Produkte stehen für zuverlässige Funktion, optimalen Schutz und höchste Effizienz in modernen Systemen.

Additional Products from the Oil Segment

Our oil segment includes a wide range of specialty products for various applications and requirements. These includes GDK Fluid, PSF Fluid, Central Hydraulic Fluid Green, and Oil Break-In SAE 30, among others. These products deliver reliable performance, optimal protection and maximum efficiency in modern systems.



Weitere Produkte

More products

Name Art.-Nr. Product name Item Nr.	Spezifikationen Specifications	Formulierung nach O.E.M. Formulation according to O.E.M.	Empfehlungen Recommendations
O.S.T. OIL PDK Fluid 0094-000178	-	-	BMW 83 22 0 440 214 BMW 83 22 2 147 477 BMW 83 22 2 148 578 BMW 83 22 2 148 579 BMW DCTF-1 Ford WSS-M2C936-A MB 236.21 Mitsubishi Diaqueen SSTF-I Peugeot/Citroën 9734.S2 Porsche 999.917.080.00 VOLVO 1161838 VOLVO 1161839 VW G 052 182 VW G 052 529
O.S.T. OIL PSF Fluid 0094-000539	-	-	Hyundai PSF-III Kia PSF-III Mazda PSF Mitsubishi DIAMOND PSF-2M Peugeot/Citroën 9735.EJ Subaru PSF Toyota PSF-EH
O.S.T. OIL PSF Premium Synthetic 0094-000577	-	-	Audi G 004 000 Audi G 002 000 Audi G 002 012 Chrysler MS-1872 Chrysler MS-5391 Chrysler MS-9602 Chrysler MS-11655 Citroën DA 9730 A5 Citroën LDS 9979 A3 DTFR 38B100 (236.3) DTFR 31B120 (345.0) Fiat 9.55550-AG3 Ford WSA-M2C195-A Ford WSS-M2C204-A GM 88901975 GM 89021184 GM 9985010 GM 9985835 Hyundai 00232-19017 Hyundai/Kia PSF-III Hyundai/Kia PSF-IV MAN M 3289 Mitsubishi DiaQueen PSF Mitsubishi Diamond SP III Nissan E-PSF Nissan 999MP-EPSF00P Nissan PSF-II Nissan KLF51-00001 Opel GM B 040 2012 PSA S71 2710 Renault PSF Klasse 1 Saab 93 160 548 Saab 30 09 800 Saab 30 32 380 Subaru K0209A0080 Toyota PSF-EH Toyota Type EH 008886-01 Toyota 08886-01206 VOLVO 30741424 VOLVO 1161529 VW G 002 000 VW G 002 012 VW G 004 000 VW G 060 146 A2 VW TL 52 146
O.S.T. OIL Zentral Hydraulik Fluid GREEN 0094-000257	DIN 51524-2 ISO 7308	-	Land Rover Cold Climate PAS Fluid 14315 MB 343.0 Opel 1940 766 Peugeot/Citroën 9979 A1 PSA B71 2710 Saab 93160548 VOLVO 30741424 VW G 004 000
O.S.T. OIL LHM + Fluid GREEN 0094-000260	ISO 7308	-	Land Rover Cold Climate PAS Fluid 14315 LRN2261 MB 343.0 Opel 1940 766 Peugeot/Citroën 9979 A1 PSA B71 2710 Saab 93160548 VOLVO 30741424 VW G 004 000

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL SSF Polar GREEN 0094-000542	DIN 51524-2 ISO 11158 HM CETOP RP 91 H	-	Eaton Vickers I-286-S Industrial Eaton Vickers M-2950-S Mobile
O.S.T. OIL Break-In Oil SAE 30 0094-000304	-	-	-
O.S.T. OIL Chainsaw Oil 0094-000306	-	-	-
O.S.T. OIL Rasenmäher-Öl SAE 30 0094-000473	API SG/CF ACEA B4/E2	-	-
O.S.T. OIL Super Feinmechaniköl 0094-000305	-	-	-
O.S.T. OIL Racing Castor Oil SAE 40 0094-000529	-	-	-
O.S.T. OIL Multispray 40 0094-300010	-	-	-





Antifreeze

Unsere Antifreeze Produkte bieten zuverlässigen Schutz vor Frost, Korrosion und Überhitzung - für eine optimale Leistung und lange Lebensdauer Ihrer Kühlsysteme. Geeignet für PKW, Nutzfahrzeuge, Landmaschinen und industrielle Anwendungen.

Antifreeze

Our antifreeze products provide reliable protection against frost, corrosion and overheating - for optimal performance and a long service life of your cooling systems. They ensure year-round protection, stable temperature control and prevent deposits throughout the system. Suitable for cars, commercial vehicles, agricultural machinery and industrial applications.

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Antifreeze A12+ 0094-400000	-	-	DAF 74002 Deutz DQC CB-14 DTFR 29C110 (MB 325.3) Ford 1336797 Ford 1336807 Ford 1365305 Ford WSS-M97B44-D (ab Modell 1999) Jaguar JLM 209722 Jaguar Land Rover STJLR.651.5003 Land Rover STC50529 MAN 324 SNF MB 325.3 Mitsubishi 0103044 Mitsubishi 0103045 Mitsubishi MZ311986 Opel/GM 6277 M Opel/GM B0401065 Porsche SAE J1034 Toyota 00272-1LLAC Toyota 08889-00115 Toyota 08889-01005 Toyota 08889-80014 Toyota 08889-80015 VOLVO 9437650 VOLVO 9437651 VOLVO VCS (STD 418-0001) VW G 012 A8F M1 VW G 012 A8F M8 VW G 012 A8F M9 VW TL 774-F (entspricht G12+) VW/Audi TL 774-D (entspricht G12+)
O.S.T. OIL Antifreeze A12+ RM 0094-400001	-	-	DAF 74002 Deutz DQC CB-14 DTFR 29C110 (MB 325.3) DTFR 29D110 (MB 326.3) Ford 1336797 Ford 1336807 Ford 1365305 Ford WSS-M97B44-D (ab Modell 1999) Jaguar JLM 209722 Jaguar Land Rover STJLR.651.5003 Land Rover STC50529 MAN 324 SNF MB 325.3 MB 326.3 (Premix) Mitsubishi 0103044 Mitsubishi 0103045 Mitsubishi MZ311986 Opel/GM 6277 M Opel/GM B0401065 Porsche SAE J1034 Toyota 00272-1LLAC Toyota 08889-00115 Toyota 08889-01005 Toyota 08889-80014 Toyota 08889-80015 VOLVO 9437650 VOLVO 9437651 VOLVO VCS (STD 418-0001) VW G 012 A8F M1 VW G 012 A8F M8 VW G 012 A8F M9 VW TL 774-F (entspricht G12+) VW/Audi TL 774-D (entspricht G12+)



Antifreeze

Antifreeze

Name Art.-Nr. <i>Product name Item Nr.</i>	Spezifikationen <i>Specifications</i>	Formulierung nach O.E.M. <i>Formulation according to O.E.M.</i>	Empfehlungen <i>Recommendations</i>
O.S.T. OIL Antifreeze A11 0094-400002	-	-	AFNOR R15-601 ASTM D1384 ASTM D2809 ASTM D3306 ASTM D4340 ASTM D4985 ASTM D6210 Type 1-FF BS 6580 (GB) Chrysler MS-7170 CUNA NC 956-16 (Italien) Fiat 9.55523 Fiat PARAFU 11 Ford WSS-M97B51-A1 IVECO 18-1830 JIS K 2234 (Japan) MAN 324 NF ÖNorm V 5123 (Österreich) SAE J1034 Suzuki UNE 25-361 (Spanien) VW TL 774-C (entspricht G11)
O.S.T. OIL Antifreeze A11 RM 0094-400003	-	-	AFNOR R15-601 ASTM D1384 ASTM D2809 ASTM D3306 ASTM D4340 ASTM D4985 ASTM D6210 Type 1-FF BS 6580 (GB) Chrysler MS-7170 CUNA NC 956-16 (Italien) Fiat 9.55523 Fiat PARAFU 11 Ford WSS-M97B51-A1 IVECO 18-1830 JIS K 2234 (Japan) MAN 324 NF ÖNorm V 5123 (Österreich) SAE J1034 Suzuki UNE 25-361 (Spanien) VW TL 774-C (entspricht G11)
O.S.T. OIL Antifreeze A12 EVO 0094-400004	-	-	ASTM D3306 ASTM D4985 ASTM D6210 BMW LC-87 BS 6580:2010 (GB) Cummins CES 14603 CUNA NC 956-16 (Italien) Deutz DQC CC-14 DTFR 29C100 (MB 325.0) DTFR 29C120 (MB 325.5) Fiat 9.55523 Ford ESD-M97B49-A IVECO 18-1830 JIS K 2234 (Japan) Liebherr LH-01-COL3A MAN 324 NF MAN 324 Si-OAT MB 325.0 (Konzentrat) MB 325.5 MB 325.6 MTU MTL 5048 ÖNorm V 5123 (Österreich) SAE J1034 Scania TB 1451 VOLVO TR 1286083 VOLVO TR-31854114-002 VOLVO VCS-2 VW TL 774-L (entspricht G12evo)
O.S.T. OIL Antifreeze A12 EVO RM 0094-400005	-	-	ASTM D3306 ASTM D4985 ASTM D6210 BMW LC-87 BS 6580:2010 (GB) Cummins CES 14603 CUNA NC 956-16 (Italien) Deutz DQC CC-14 DTFR 29C100 (MB 325.0) DTFR 29C120 (MB 325.5) Fiat 9.55523 Ford ESD-M97B49-A IVECO 18-1830 JIS K 2234 (Japan) Liebherr LH-01-COL3A MAN 324 NF MAN 324 Si-OAT MB 325.0 (Konzentrat) MB 325.5 MB 325.6 MTU MTL 5048 ÖNorm V 5123 (Österreich) SAE J1034 Scania TB 1451 VOLVO TR 1286083 VOLVO TR-31854114-002 VOLVO VCS-2 VW TL 774-L (entspricht G12evo)



Fette und Schmierstoffe

Unsere Fette bieten zuverlässige Schmierung und optimalen Schutz für eine Vielzahl von Anwendungen - selbst unter hohen Lasten, Stößen, Vibrationen und anspruchsvollen Umweltbedingungen. Sie gewährleisten hervorragende Haftung, Wasserbeständigkeit und Korrosionsschutz sowie eine hohe Druckaufnahmefähigkeit. Geeignet für Fahrzeug-, Industrie-, Bau-, Land- und Forstmaschinen sowie viele weitere Einsatzbereiche.

Grease

Our greases provide reliable lubrication and optimal protection for a wide range of applications - even under high loads, shocks, vibrations and challenging environmental conditions. They ensure excellent adhesion, water resistance and corrosion protection as well as high load-carrying capacity. Suitable for automotive, industrial, construction, agricultural and forestry machinery as well as many other applications.



Name Art.-Nr. <i>Product name Item Nr.</i>	Beschreibung <i>Description</i>	ISO 6743-9 <i>ISO 6743-9</i>	DIN 51 502 <i>DIN 51 502</i>
O.S.T. OIL Grease CA-C 0094-100000	Mehrzweckfett mit Graphit (Basis Calcium) <i>Multi-purpose grease with graphite (calcium based)</i>	ISO L-XAAHB2	KP2K-30
O.S.T. OIL Grease LI-HD EP2 0094-100001	LKW Fett (Basis Lithium) <i>Truck grease (lithium based)</i>	ISO L-XCDHB2	KP2N-30
O.S.T. OIL Grease LI-EP3 0094-100002	Extreme Pressure Grease EPG3 (Basis Lithium) <i>Extreme Pressure Grease EPG3 (based on lithium)</i>	ISO L-XCDHB3	KP3N-35
O.S.T. OIL Grease LI-MoS2 0094-100003	Mehrzweckfett mit MOS-2 (Basis Lithium) <i>Multi-purpose grease with MOS-2 (lithium based)</i>	ISO L-XCDHB2	KPF2N-30
O.S.T. OIL Grease LI-MPG 0094-100004	Mehrzweckfett (Basis Lithium) <i>Multi-purpose grease (lithium based)</i>	ISO-L-XCCHB-2	KP2K-30



Kraftstoffadditive

Unsere Kraftstoffadditive sind speziell entwickelt, um die Qualität des Kraftstoffs zu verbessern und die Leistung Ihres Motors zu optimieren. Sie reinigen das Kraftstoffsystem, reduzieren Ablagerungen und schützen vor Korrosion. Darüber hinaus unterstützen sie eine saubere Verbrennung, reduzieren Emissionen und tragen zu einem ruhigen Motorlauf bei.

Fuel Additives

Our fuel additives are specially formulated to improve fuel quality and optimize your engine's performance. They clean the fuel system, reduce deposits and protect against corrosion. In addition, they support clean combustion, reduce emissions and contribute to smooth engine operation.



Name Art.-Nr. Product name Item Nr.	Beschreibung Description
--	-----------------------------

Benzin *Petrol*

O.S.T. OIL Petrol CleanUp 0094-300004	Intensive Reinigung der Einspritzdüsen und des kompletten Kraftstoffsystems. Stellt volle Motorleistung wieder her. Korrosionsschutz. Kraftstoffersparnis. Verhindert Ablagerungen. Für alle Benzinmotoren mit und ohne Katalysator, insbesondere für Direkteinspritzsysteme (GDI). Vorbeugend einsetzbar bei jeder Inspektion, sowie bei erhöhtem Kraftstoffverbrauch. <i>Intensive cleaning of the injection nozzles and the entire fuel system. Restores full engine performance. Corrosion protection. Saves fuel. Prevents deposits. For all petrol engines with and without catalytic converter, especially for direct injection systems (GDI). Can be used as a preventative measure at every inspection and in the event of increased fuel consumption.</i>
O.S.T. OIL Petrol Power & Protect 0094-300005	Hochleistungsadditiv zur Reinigung, Pflege und Schutz von Kraftstoffleitungen, Einspritznadeln, Zylindern, Zündkerzen und Brennraum. Erhöht die Schmierwirkung des Kraftstoffs. Optimiert die Motorleistung. Reduziert Kraftstoffverbrauch dank optimaler Verbrennung. Hoher Korrosionsschutz. Verlängert die Lebensdauer von Katalysatoren und Lambdasonden. Für alle Benzinmotoren mit und ohne Katalysator. <i>High-performance additive for cleaning, care and protection of fuel lines, injection needles, cylinders, spark plugs and combustion chamber. Increases the lubricating effect of the fuel. Optimises engine performance. Reduces fuel consumption thanks to optimised combustion. High corrosion protection. Extends the service life of catalytic converters and lambda sensors. For all petrol engines with and without catalytic converters.</i>
O.S.T. OIL Octane Booster 0094-300007	Additiv zur Oktanzahlerhöhung – je nach ursprünglicher Kraftstoffqualität - um bis zu 4 Punkte. Verbessertes Fahrverhalten im Hochleistungsbereich. Einsatz bei minderwertiger Kraftstoffqualität. Schützt vor Klingeln, Klopfen und Nachzünden des Motors. Verhindert Verschleiß an Ventilsitzen und Auslaufventilen und erhöht die Lebensdauer des Kraftstoffsystems. Für alle Benzinmotoren mit und ohne Katalysator. <i>Additive to increase the octane rating - depending on the original fuel quality - by up to 4 points. Improved driving behaviour in the high-performance range. Use with inferior fuel quality. Protects against engine ringing, knocking and re-ignition. Prevents wear on valve seats and outlet valves and increases the service life of the fuel system. For all petrol engines with and without catalytic converters.</i>

Name Art.-Nr. Product name Item Nr.	Beschreibung Description
Diesel Diesel	
O.S.T. OIL Diesel CleanUp 0094-300001	Intensive Reinigung der Einspritzdüsen und des kompletten Kraftstoffsystems. Verhindert Nageln und unruhigen Leerlauf. Reduziert die Rauchentwicklung. Stellt volle Motorleistung wieder her. Korrosionsschutz. Kraftstoffersparnis. Verhindert Ablagerungen. Für alle Dieselmotoren mit und ohne Abgasnachbehandlungssysteme, auch mit Direkteinspritzsystemen. Vorbeugend einsetzbar bei jeder Inspektion, sowie bei erhöhter Rußbildung. <i>Intensive cleaning of the injection nozzles and the entire fuel system. Prevents nailing and uneven idling. Reduces smoke development. Restores full engine performance. Corrosion protection. Saves fuel. Prevents deposits. For all diesel engines with and without exhaust gas aftertreatment systems, also with direct injection systems. Can be used as a preventative measure at every inspection and in the event of increased soot formation.</i>
O.S.T. OIL Diesel Power & Protect 0094-300002	Hochleistungsadditiv zur Reinigung, Pflege und Schutz des kompletten Kraftstoffsystems. Erhöht Schmierwirkung bei schwefelarmem Kraftstoff. Erhöht die Cetanzahl, verbessert die Zündfähigkeit und sorgt für ruhigen Motorlauf. Optimiert die Motorleistung. Schützt vor Korrosion und Verschleiß. Reduziert Schadstoffausstoß. Für alle Dieselmotoren im PKW- und LKW- Bereich, Hybridfahrzeuge, Busse, landwirtschaftliche Maschinen und stationäre Motoren. Anwendung bei jeder Inspektion wird empfohlen. Für alle Dieselmotoren, auch für Diesel mit Bio-Anteilen geeignet. <i>High-performance additive for cleaning, maintaining and protecting the entire fuel system. Increases lubricating effect with low-sulphur fuel. Increases the cetane number, improves ignitability and ensures smooth engine running. Optimises engine performance. Protects against corrosion and wear. Reduces pollutant emissions. For all diesel engines in cars and lorries, hybrid vehicles, buses, agricultural machinery and stationary engines. Application at every inspection is recommended. Suitable for all diesel fuels, including diesel with bio-components.</i>
O.S.T. OIL Cetane Booster 0094-300008	Additiv zur Cetanzahlerhöhung und Verbesserung des Zündverhaltens von Diesel-Kraftstoffen. Verminderung von Motorengeräuschen. Reduzierung von Schadstoffemissionen. Verbesserung des Kaltstartverhaltens. Kraftstoffeinsparung. Saubere Verbrennung. <i>Additive to increase the cetane number and improve the ignition behaviour of diesel fuels. Reduction of engine noise. Reduction of pollutant emissions. Improvement of cold start behaviour. Fuel saving. Cleaner combustion.</i>
O.S.T. OIL DPF Performance 0094-300009	Hochleistungsadditiv zur Reduzierung des Rußausstoßes bei Dieselfahrzeugen mit DPF. Reinigt das Kraftstoffsystem und gewährleistet stabile DPF-Regeneration auch bei Kurzstrecken. Verlängert bei regelmäßiger Verwendung die Lebensdauer des DPF und erhält die Motorleistung. Für alle Dieselmotoren mit DPF, ohne elektronisch gesteuerte Additivtanksysteme zur Filterregeneration. <i>High-performance additive to reduce soot emissions in diesel vehicles with DPF. Cleans the fuel system and ensures stable DPF regeneration even on short journeys. Extends the service life of the DPF and maintains engine performance when used regularly. For all diesel engines with DPF, without electronically controlled additive tank systems for filter regeneration.</i>











O.S.T. Oil

Oil System Technology

Made in
Germany





O.S.T. Oil

Oil System Technology

O.S.T. Oil is a registered trademark of ZM Solutions GmbH



ZM Solutions GmbH
Europark Fichtenhain A 13b
47807 Krefeld
Germany

tel.: +49 2151 9179 388
web: www.ost-oil.de
email: info@ost-oil.de



Made in
Germany



www.ost-oil.de